

**2020 WATER QUALITY MONITORING
REPORT FOR THE BIG TUJUNGA WASH
MITIGATION AREA**

Prepared for:

LOS ANGELES COUNTY PUBLIC WORKS
900 Fremont Avenue, 2nd Floor Annex
Alhambra, CA 91802

Prepared by:

CHAMBERS GROUP, INC.
5 Hutton Centre Drive, Suite 750
Santa Ana, California 92707
(949) 261-5414

January 2021

TABLE OF CONTENTS

	<u>Page</u>
SECTION 1.0 – EXECUTIVE SUMMARY	1
SECTION 2.0 – BACKGROUND	2
SECTION 3.0 – MATERIALS AND METHODS	6
SECTION 4.0 – RESULTS.....	10
SECTION 5.0 – DISCUSSION	18
SECTION 6.0 – GLOSSARY	22

LIST OF FIGURES

Figure 1: Mitigation Area Water Quality Sampling Stations.....	7
--	---

LIST OF TABLES

Table 1: Major Activities to Date at the Big Tujunga Wash Mitigation Area	2
Table 2: Pesticides Potentially Used at the Angeles National Golf Club.....	4
Table 3: Water Quality Sampling Locations and Conditions for November 2020	8
Table 4: Water Quality Sampling Parameters.....	9
Table 5: Baseline Water Quality (2000)	10
Table 6: Summary of Water Quality Results – November 2, 2020	11
Table 7: National and Local Recommended Water Quality Criteria - Freshwaters	12
Table 8: Temperature and pH-Dependent Values of the CMC (Acute Criterion) Mussels Absent.....	13
Table 9: Temperature and pH-Dependent Values of the CCC (Chronic Criterion) Mussels Absent and Early Fish Life Stages Present.....	15
Table 10: 30-Day Average Objective for Ammonia-N for Freshwaters Applicable to Waters Subject to the “Early Life Stage Present” Condition (mg N/L).....	16
Table 11: One-Hour Average Objective for Ammonia-N for Freshwaters (mg N/L).....	17

Table 12: Example Calculated Values for Maximum Weekly Average Temperature for Growth and Short-Term Maxima for Survival of Juvenile and Adult Fishes During the Summer..... 17

Table 13: Discussion of November 2020 Water Quality Sampling Results..... 18

Table 14: 2020 Water Quality Results Compared to Baseline (2000)..... 21

LIST OF APPENDICES

APPENDIX A - 2020 Big Tujunga Wash Mitigation Area Water Quality Monitoring Program Laboratory Results

Distribution

Water quality monitoring reports are distributed to the following agencies:

Los Angeles County Public Works
Ms. Julianna Colwell
900 South Fremont Avenue
Alhambra, California 91803-1331

California Department of Fish and Wildlife
Mr. David T. Lin Ph.D.
Senior Environmental Scientist (Specialist)
CA Dept. of Fish and Wildlife
4665 Lampson Ave. suite C
Los Alamitos, CA 90720

Regional Water Quality Control Board, Los Angeles Region (4)
Ms. Valerie Carrillo Zara
320 West 4th Street, Suite 200 Los Angeles, California 90013

U.S. Fish and Wildlife Service
Ms. Christine Medak
2117 Salk Avenue, Suite 250
Carlsbad, California 92008

U.S. Army Corps of Engineers
Mr. Aaron Allen
P.O. Box 532711
Los Angeles, California 90053-2325

Interested Party
Mr. William Eick
2604 Foothill Boulevard, Suite C La Crescenta, California 91214

SECTION 1.0 – EXECUTIVE SUMMARY

As part of a water quality monitoring program on-going since 2000, water quality sampling of the Big Tujunga Ponds and Haines Canyon Creek was conducted on November 2, 2020. Additional water samples were collected on November 13, 2020, to test for organochlorine pesticides. The water quality sampling results are summarized below:

- Observed temperatures were well below levels of concern for growth and survival of warmwater fish species at all stations with the exception of the inlet to the Tujunga Ponds which was recorded at 19.3 degrees Celsius (°C), slightly higher than the weekly average maximum temperature for the growth of brook trout and rainbow trout (example species in Table 12). However, only a single temperature reading was taken in the fall and the weekly summer average temperature is unknown.
- Dissolved oxygen (DO) levels at one of the sample stations was below the minimum recommended level (5.0 mg/L) for Basin Plan objectives and EPA's criteria for warmwater fish species.
- Potential hydrogen (pH) readings at all three sample stations were below the recommended range of 6.5 to 8.5 identified in the Basin Plan objectives, and were within the recommended range of 5.0 to 9.0 for EPA's criteria for human health.
- Nitrate-Nitrogen was below the drinking water maximum standard of 10 mg/L for both Basin Plan standards and EPA criteria for human health at all sample stations. Nitrite-Nitrogen and Ammonia-Nitrogen were not detected at any of the sample stations.
- Nutrient levels as measured by total Phosphorus-P concentration were within or below the lower end of the EPA's recommended maximum range of 0.05 to 0.10 mg/L for the desired goal of preventing plant nuisances in streams.
- No pesticides or residual chlorine were detected at any of the sample stations.
- Turbidity levels were below the EPA's secondary drinking water standard of 5 NTU. The turbidity at the inlet of the Tujunga Ponds was slightly above the EPA's drinking water maximum standard of 1.0 NTU for systems that use conventional or direct filtration; however, waters within the Mitigation Area are not filtered systems intended for human consumption.
- Fecal coliform levels detected were below the standard geometric mean of 126 MPN/100 ml at all sample stations. However, the standards are for *E. coli* and the water quality results are for fecal coliform and total coliform.

SECTION 2.0 – BACKGROUND

Los Angeles County Public Works (Public Works) purchased an approximately 210-acre parcel in Big Tujunga Wash as a mitigation area for Los Angeles County Flood Control District (LACFCD) projects throughout Los Angeles County. In coordination with local agencies, Public Works defined a number of measures to improve habitat quality at the site. A Final Master Mitigation Plan (FMMP) was prepared to guide the implementation of these enhancements. The FMMP also includes a monitoring program to gather data on conditions at the site during implementation of the improvements. The FMMP was prepared and is currently being implemented by Chambers Group, Inc. (Chambers Group). Water quality monitoring was conducted on a quarterly basis from the fourth quarter of 2000 through the fourth quarter of 2005. In 2006, monitoring was conducted on a semi-annual basis. In 2007 through 2009 monitoring was conducted annually, in December. In 2010, monitoring was conducted in November and pesticide sampling was conducted in early December. In 2012, monitoring was conducted in February and November. From 2013 to present, monitoring has been conducted annually in the fall. This report presents the results of the water quality sampling for November 2020.

The Big Tujunga Wash Mitigation Area (Mitigation Area) is located just east of Hansen Dam in the Shadow Hills area of the City of Los Angeles. Both Big Tujunga Wash, an intermittent stream, and Haines Canyon Creek, a perennial stream, traverse the Mitigation Area in an east-to-west direction. The East Tujunga Pond and West Tujunga Pond are located outside of the Mitigation Area, at the far northeastern portion of the site.

2.1 PROJECT SITE ACTIVITIES

A timeline of project-related activities including water quality sampling events is presented in Table 1.

Table 1: Major Activities to Date at the Big Tujunga Wash Mitigation Area

Date	Activity
2000, April	Baseline water quality sampling
2000, November to 2001, November	Arundo, tamarisk, and pepper tree removal Chemical (Rodeo®) application
2000, December to 2000, November	Water hyacinth removal
2000, December	Fish Sampling at Haines Canyon Creek
2000, December	Water quality sampling
2001, January to present	Exotic aquatic wildlife (non-native fish, crayfish, bullfrog, and turtle) removal – conducted quarterly
2001, February	Partial riparian planting
2001, March	Selective clearing at Canyon Trails Golf Club
2001, March	Water quality sampling
2001, June	Water quality sampling
2001, July	Fish Sampling at Haines Canyon Creek
2001, September	Water quality sampling
2001, October to 2001, November	Fish Sampling at Haines Canyon Creek

Date	Activity
2001, December	Water quality sampling
2002, January	Final riparian planting
2002, July	Upland replacement planting
2002, March	Water quality sampling
2002, June	Water quality sampling
2002, July	Fish Sampling at Haines Canyon Creek
2002, September	Water quality sampling
2002, October	Grading at Canyon Trails Golf Club begins
2002, November	Fish Sampling at Haines Canyon Creek
2002, December	Water quality sampling
2003, March	Water quality sampling
2003, April	Meeting with Canyon Trails Golf Club to discuss future use of herbicides and fertilizers
2003, June	Water quality sampling
2003, August	Fish Sampling at Haines Canyon Creek
2003, September	Water quality sampling
2003, fall	Completion of the golf course construction
2003, December	Water quality sampling
2004, January	Fish Sampling at Haines Canyon Creek
2004, April	Water quality sampling
2004, April	Rock Dam Removal Day
2004, June	Angeles National Golf Club (previously named Canyon Trails) opens to the public
2004, July	Water quality sampling
2004, October	Water quality sampling
2004, December	Water quality sampling
2005, April	Water quality sampling
2005, June	Water quality sampling
2005, October	Water quality sampling
2005, December	Water quality sampling
2006, July	Water quality sampling
2006, December	Water quality sampling
2007, December	Water quality sampling
2008, December	Water quality sampling
2009, August to October	As of 2009, the Station Fire was the largest fire in the recorded history of Angeles National Forest and the 10th largest fire in California since 1933. The fire burned a total of 160,577 acres. The fire was fully contained on October 16, 2009. (Source: Angeles National Forest Incident Update available - http://www.inciweb.org/incident/1856/)
2009, December	Water quality sampling
2010, November	Water quality sampling
2010, December	Water quality sampling for pesticides
2011, September to 2012, January	Water lettuce removal
2012, February	Water quality sampling

Date	Activity
2012, November	Water quality sampling
2013, October	Water quality sampling
2014, October	Water quality sampling
2015, November	Water quality sampling
2016, November 7	Water quality sampling
2017, December	The Creek Fire began on December 5, 2017, approximately 4 miles east of Sylmar, California. The Creek Fire burned a total of 15,619 acres. Much of the Mitigation Area burned, and close to 75 percent of the entire site exhibited signs of severe surface burns, including approximately all of the riparian communities found along Haines Canyon Creek, and more than half of the vegetation within the Big Tujunga Wash area. The fire was fully contained on January 9, 2018. (Sources: Angeles National Forest Incident Update available - https://inciweb.nwcg.gov/incident/5669/ ; Chambers Group 2018 Post Fire Assessment Report)
2017, December 21	Water quality sampling
2018, December 17	Water quality sampling
2019, April 23	After April 23, 2019 Chambers Group stopped the use of all herbicides within the Mitigation Area. From April 23 onward, exotic plants were (and continue to be) managed with mechanical weed control methods only.
2019, October 30	Water Quality Sampling
2020, November 2	Water Quality Sampling

2.2 UPSTREAM LAND USES

The monitoring program has been designed to specifically address inputs to the site from upstream land uses such as the Angeles National Golf Club (previously named Canyon Trails Golf Club). The golf course has been operating since June 2004. Potential negative impacts to aquatic species from run-on to the site that contains excessive nutrients or pesticides are of primary concern. Pesticides potentially used at the Angeles National Golf Course include herbicides, insecticides, fungicides, and grass growth inhibitors (Table 2).

Actual use of pesticides is based on golf course maintenance needs. Based on the pesticide use information from the Angeles National Golf Club, analysis of water samples for glyphosate, chlorpyrifos, other organophosphorous pesticides, and organochlorine pesticides is included in the sampling program for the Mitigation Area.

Table 2: Pesticides Potentially Used at the Angeles National Golf Club

Manufacturer and Product Name	Active Ingredient	Use
Syngenta Primo Maxx	trinexapac-ethyl	grass growth inhibitor used for turf management
Syngenta Reward	diquat dibromide	landscape and aquatic herbicide
Syngenta Barricade	prodiamine	pre-emergent herbicide
Bayer Prostar 70 WP	flutolanil	fungicide

Manufacturer and Product Name	Active Ingredient	Use
Monsanto QuikPRO	ammonium salt of glyphosphate and diquat dibromide	herbicide
Monsanto Rodeo® Verdicon Kleenup® Pro Lesco Prosecutor	glyphosate	emerged aquatic weed and brush herbicide
Valent ProGibb T&O	gibberellic acid	plant growth regulator
BASF Insignia 20 WG	pyraclostrobin	fungicide
BASF Stalker	Isopropylamine salt of Imazapyr	herbicide
Dow Agrosciences Surflan A.S.	oryzalin	herbicide
Dow Agrosciences Dursban Pro	chlorpyrifos	insecticide
Mycogen Scythe	pelargonic acid	herbicide

Source: J. Reidinger, Angeles National Golf Club, pers. comm. to M. Chimienti, LACDPW, March 18, 2004 and Angeles National Golf Club Monthly Summary Pesticide Use Reports (December 2004, February 2005 and April 2007).

SECTION 3.0 – MATERIALS AND METHODS

3.1 SAMPLING STATIONS

Four sampling locations have been identified for the monitoring program for the Mitigation Area (Figure 1). Table 3 summarizes sampling locations and the conditions observed on November 2, 2020.

Figure 1: Mitigation Area Water Quality Sampling Stations



Table 3: Water Quality Sampling Locations and Conditions for November 2020

Date	November 2, 2020		
Air Temperature	Between 18.3 and 27.2 (°Celsius) during sample collection period		
Skies	Clear		
Observations	Water was clear at all locations		
Sampling Locations	Latitude	Longitude	Time of sample
(1) Inflow to Tujunga Ponds	34.26852 N	118.34000 W	1030
(2) Outflow from Tujunga Ponds	34.26799 N	118.34249 W	0930
(3) Big Tujunga Wash	34.26989 N	118.35126 W	station dry
(4) Haines Canyon Creek, before exit from the site	34.26655 N	118.35786 W	0830

3.2 SAMPLING PARAMETERS

Table 4 summarizes the sampling parameters included in the water quality monitoring program. The following meters were used in the field:

- pH and temperature – Milwaukee MW102 PRO+ 2-in-1 Temperature and pH Meter
- Dissolved oxygen - Milwaukee MW600 PRO Dissolved Oxygen Meter
- Turbidity – Hanna Instruments HI98703 Turbidity Portable Meter

Water testing was performed at Enthalpy Analytical, LLC located in Orange, California and Test America located in Savannah, Georgia. Samples were taken at mid-depth, along a transect perpendicular to the stream channel alignment. Quality assurance/quality control (QA/QC) procedures in each laboratory followed the methods described in their respective quality assurance manuals.

Table 4: Water Quality Sampling Parameters

Parameter	Analysis Location	Analytical Method
total Kjeldahl nitrogen (TKN)	laboratory	EPA 351.2
nitrite - nitrogen (NO ₂ -N)	laboratory	EPA 300.0 by IC
Nitrate - nitrogen (NO ₃ -N)	laboratory	EPA 300.0 by IC
ammonia (NH ₄)	laboratory	EPA 350.1
orthophosphate - P	laboratory	Standard Methods 4500PE/EPA 365.1
total phosphorus - P	laboratory	Standard Methods 4500PE/EPA 365.1
total coliform	laboratory	Standard Methods 9221B
fecal coliform	laboratory	Standard Methods 9221C
turbidity	field	EPA 180.1
glyphosate (Roundup/Rodeo) ¹	laboratory	EPA 547
chlorpyrifos and organophosphorus pesticides ²	laboratory	EPA 8141A
organochlorine pesticides ³	laboratory	EPA 608
dissolved oxygen	field	Standard Methods 4500-O G
total residual chlorine	laboratory	Standard Methods 4500-Cl
temperature	field	Standard Methods 2550
pH	field	Standard Methods 4500-H+

Sources for analytical methods:

EPA. Method and Guidance for Analysis of Water.

American Public Health Association, American Waterworks Association, and Water Environment Federation. 1998.

Standard Methods for the Examination of Water and Wastewater, 20th Edition. Washington D.C.

¹ First analysis completed in the first quarter of 2004

² First analysis completed in the fourth quarter of 2004. This analytical method tests for the following chemicals: azinphos- methyl, bolster, coumaphos, diazinon, chlorpyrifos, demeton, dichlorvos, disulfoton, ethoprop, fensulfothion, fenthion, mevinphos, naled, phorate, runnel, stirophos, parathion-methyl, tokuthion, and trichloronate.

³ First analysis completed in the fourth quarter of 2004. This analytical method tests for the following chemicals: azinphos- methyl, bolster, coumaphos, diazinon, chlorpyrifos, demeton, dichlorvos, disulfoton, ethoprop, fensulfothion, fenthion, mevinphos, naled, phorate, runnel, stirophos, parathion-methyl, tokuthion, and trichloronate.

SECTION 4.0 – RESULTS

4.1 BASELINE WATER QUALITY

Sampling and analysis conducted by Public Works prior to implementation of the FMMP is considered the baseline for water quality conditions at the Mitigation Area. The results of baseline analyses conducted in April 2000 are presented in Table 5. Higher bacteria and turbidity observed in the 4/18/2000 samples are attributable to a rain event. Phosphorus levels were also high in the 4/18/2000 samples, due to release from sediments.

Table 5: Baseline Water Quality (2000)

Parameter	Units	Date (2000)	Haines Canyon Creek, Inflow to Tujunga Ponds	Haines Canyon Creek, Outflow from Tujunga Ponds	Big Tujunga Wash	Haines Canyon Creek, just before exit from site
Total coliform	MPN/100 ml	4/12	3,000	5,000	170	1,700
		4/18	2,200	170,000	2,400	70,000
Fecal coliform	MPN/100 ml	4/12	500	300	40	80
		4/18	500	30,000	2,400	50,000
Ammonia-N	mg/L	4/12	0	0	0	0
		4/18	0	0	0	0
Nitrate-N	mg/L	4/12	8.38	5.19	0	3.73
		4/18	8.2	3.91	0.253	0.438
Nitrite-N	mg/L	4/12	0.061	0	0	0
		4/18	0.055	0	0	0
Kjeldahl-N	mg/L	4/12	0	0.1062	0.163	0
		4/18	0	0.848	0.42	0.428
Dissolved phosphorus	mg/L	4/12	0.078	0.056	0	0.063
		4/18	0.089	0.148	0.111	0.163
Total phosphorus	mg/L	4/12	0.086	0.062	0	0.066
		4/18	0.113	0.153	0.134	0.211
pH	std units	4/12	7.78	7.68	7.96	7.91
		4/18	7.18	7.47	7.45	7.06
Turbidity	NTU	4/12	1.83	0.38	1.75	0.6
		4/18	4.24	323	4070	737

MPN – most probable number NTU – nephelometric turbidity units

4.2 NOVEMBER 2020 RESULTS

Results of analyses conducted by Enthalpy Analytical and Test America are appended to this report (Appendix A) and summarized in Table 6.

Table 6: Summary of Water Quality Results – November 2, 2020

Parameter	Units	Inflow to Tujunga Ponds	Outflow from Tujunga Ponds	Big Tujunga Wash	Haines Canyon Creek, just before exit from site
Temperature	°C	19.3	16.9	NA	14.4
Dissolved Oxygen	mg/L	6.5	3.8	NA	8.4
pH	std units	5.48	5.64	NA	5.78
Total residual chlorine	mg/L	ND	ND	NA	ND
Ammonia-Nitrogen	mg/L	ND	ND	NA	ND
Kjeldahl Nitrogen	mg/L	0.55	ND	NA	ND
Nitrite-Nitrogen	mg/L	ND	ND	NA	ND
Nitrate-Nitrogen	mg/L	5.8	4.7	NA	4.0
Orthophosphate-P (dissolved phosphorus)	mg/L	0.026	ND	NA	ND
Total phosphorus-P	mg/L	0.060	0.062	NA	0.049
Glyphosate	µg/L	ND	ND	NA	ND
Chlorpyrifos* (and other Organophosphorus Pesticides)	µg/L	ND	ND	NA	ND
Pesticides (EPA 608)** (Organochlorine Pesticides)	µg/L	ND	ND	NA	ND
Turbidity	NTU	1.30	0.35	NA	0.30
Fecal Coliform Bacteria	(MPN/100 ml)	47	23	NA	17
Total Coliform Bacteria	(MPN/100 ml)	>1600	>1600	NA	>1600

NA – data not available; station dry on the sample date **NTU** – nephelometric turbidity units

MPN – most probable number

ND – non-detect

> - Value exceeds indicated concentration

* The analytical method used for chlorpyrifos (EPA 8141A) also tests for the following chemicals: azinphos-methyl, bolster, coumaphos, demeton, diazinon, dichlorvos, disulfoton, ethoprop, fensulfothion, fenthion, merphos, methyl parathion, mevinphos, naled, phorate, ronnel, stirophos, tokuthion, and trichloronate.

** EPA method 608 tests for aldrin, BHC, Chlordane, DDD, DDE, DDT, dieldrin, endrin, endosulfan, heptaclor, methoxychlor, and toxaphene. Water samples for these pesticides were collected on November 13, 2020.

4.3 COMPARISON OF RESULTS WITH AQUATIC LIFE CRITERIA

Tables 7 through 12 present objectives established by the United States Environmental Protection Agency (USEPA) and the Los Angeles Regional Water Quality Control Board (Regional Board) for protection of beneficial uses including freshwater aquatic life.

Table 7: National and Local Recommended Water Quality Criteria - Freshwaters

Parameter	Basin Plan Objectives ^a	EPA Criteria		
		CMC	CCC	Human Health
Temperature (°C)	b	See Table 12	See Table 12	--
Dissolved oxygen (mg/L)	>7.0 mean >5.0 min	5.0 ^c (warmwater, early life stages, 1-day minimum)	6.0 ^c (warmwater, early life stages, 7-day mean)	--
pH	6.5 - 8.5	--	6.5-9.0 ^{d,e}	5.0-9.0 ^{d,e}
Total residual chlorine (mg/L)	0.1	0.019 ^{d,e}	0.011 ^{d,e}	4.0 (maximum residual disinfectant level goal)
Fecal coliform (MPN/100 ml)	126 ^f (geometric mean for <i>E. coli</i>) (water contact recreation)	--	--	Swimming standards: 33 ^g (geometric mean for enterococci) 126 ^g (geometric mean for <i>E. coli</i>)
Ammonia-nitrogen (mg/L)	See Tables 10 and 11	See Table 8	See Table 9	--
Nitrite-nitrogen (mg/L)	1	--	--	1 (primary drinking water standard)
Nitrate-nitrogen (mg/L)	10	--	--	10 (primary drinking water standard)
Total phosphorus (mg/L)	--	<0.05 – 0.1 ^e (recommendation for streams, no criterion)		--
Turbidity (NTU)	h	i	i	5 (secondary drinking water standard) ≤1.0 (standard for systems that filter)

Notes:

MPN most probable number

NTU nephelometric turbidity units

-- No criterion

CMC Criteria Maximum Concentration or acute criterion

CCC Criteria Continuous Concentration or chronic criterion

a Source: California Regional Water Quality Control Board, Los Angeles Region. 1994. Water Quality Control Plan (Basin Plan). As amended.

- b** Narrative criterion: “The natural receiving water temperature of all regional waters shall not be altered unless it can be demonstrated to the satisfaction of the Regional Board that such alteration in temperature does not adversely affect beneficial uses.”
- c** Source: USEPA. 1986. Ambient Water Quality Criteria for Dissolved Oxygen. EPA 440-5-86-003. Washington, D.C.
- d** Source: USEPA. 1999. National Recommended Water Quality Criteria – Correction. EPA 822-Z-99-001. Washington, D.C.
- e** Source: USEPA. 1986. Quality Criteria for Water. EPA 440/5-86-001. Washington, D.C.
- f** Single sample limits – E. coli density shall not exceed 235/100 ml.
- g** Source: USEPA. 1986. Ambient Water Quality Criteria for Bacteria – 1986. EPA 440-5-84-002. Washington, D.C.
- h** Narrative criterion: “Waters shall be free of changes in turbidity that cause nuisance or adversely affect beneficial uses.”
- i** Narrative criterion for freshwater fish and other aquatic life: “Settleable and suspended solids should not reduce the depth of the compensation point for photosynthetic activity by more than 10 percent from the seasonally established norm for aquatic life.”

Table 8: Temperature and pH-Dependent Values of the CMC (Acute Criterion) Mussels Absent

CMC: Mussels Absent, mg N/L										
pH	Temperature (°Celsius)									
	0	14	16	18	20	22	24	26	28	30
6.5	58.0	58.0	58.0	58.0	43.7	37.0	31.4	26.6	22.5	19.1
6.6	55.7	55.7	55.7	55.7	41.9	35.5	30.1	25.5	21.6	18.3
6.7	53.0	53.0	53.0	53.0	39.9	33.8	28.6	24.3	20.6	17.4
6.8	49.9	49.9	49.9	49.9	37.6	31.9	27.0	22.9	19.4	16.4
6.9	46.5	46.5	46.5	46.5	35.1	29.7	25.2	21.3	18.1	15.3
7.0	42.9	42.9	42.9	42.9	32.3	27.4	23.2	19.7	16.7	14.1
7.1	39.1	39.1	39.1	39.1	29.4	24.9	21.1	17.9	15.2	12.8
7.2	35.1	35.1	35.1	35.1	26.4	22.4	19.0	16.1	13.6	11.5
7.3	31.2	31.2	31.2	31.2	23.5	19.9	16.8	14.3	12.1	10.2
7.4	27.3	27.3	27.3	27.3	20.6	17.4	14.8	12.5	10.6	8.98
7.5	23.6	23.6	23.6	23.6	17.8	15.1	12.8	10.8	9.18	7.77
7.6	20.2	20.2	20.2	20.2	15.3	12.9	10.9	9.27	7.86	6.66
7.7	17.2	17.2	17.2	17.2	12.9	11.0	9.28	7.86	6.66	5.64
7.8	14.4	14.4	14.4	14.4	10.9	9.21	7.80	6.61	5.60	4.74
7.9	12.0	12.0	12.0	12.0	9.07	7.69	6.51	5.52	4.67	3.96
8.0	9.99	9.99	9.99	9.99	7.53	6.38	5.40	4.58	3.88	3.29
8.1	8.26	8.26	8.26	8.26	6.22	5.27	4.47	3.78	3.21	2.72
8.2	6.81	6.81	6.81	6.81	5.13	4.34	3.68	3.12	2.64	2.24
8.3	5.60	5.60	5.60	5.60	4.22	3.58	3.03	2.57	2.18	1.84
8.4	4.61	4.61	4.61	4.61	3.48	2.95	2.50	2.11	1.79	1.52
8.5	3.81	3.81	3.81	3.81	2.87	2.43	2.06	1.74	1.48	1.25
8.6	3.15	3.15	3.15	3.15	2.37	2.01	1.70	1.44	1.22	1.04
8.7	2.62	2.62	2.62	2.62	1.97	1.67	1.42	1.20	1.02	0.862

CMC: Mussels Absent, mg N/L										
pH	Temperature (°Celsius)									
	0	14	16	18	20	22	24	26	28	30
8.8	2.19	2.19	2.19	2.19	1.65	1.40	1.19	1.00	0.851	0.721
8.9	1.85	1.85	1.85	1.85	1.39	1.18	1.00	0.847	0.718	0.608
9.0	1.57	1.57	1.57	1.57	1.19	1.00	0.851	0.721	0.611	0.517

Note: Native species of freshwater mussels are not known for Big Tujunga Wash or Haines Canyon Creek. CMC – Criteria Maximum Concentration (ammonia)

Source: USEPA. 2009. Draft 2009 Update Aquatic Life Ambient Water Quality Criteria for Ammonia - Freshwater. EPA 822-D-09-001. Washington, D.C

Table 9: Temperature and pH-Dependent Values of the CCC (Chronic Criterion) Mussels Absent and Early Fish Life Stages Present

CCC: Mussels Absent and Early Fish Life Stages Present, mg N/L										
pH	Temperature (°Celsius)									
	0	14	16	18	20	22	24	26	28	30
6.5	6.36	6.36	6.36	6.36	6.36	6.11	5.37	4.72	4.15	3.65
6.6	6.26	6.26	6.26	6.26	6.26	6.02	5.29	4.65	4.09	3.60
6.7	6.15	6.15	6.15	6.15	6.15	5.91	5.19	4.57	4.01	3.53
6.8	6.00	6.00	6.00	6.00	6.00	5.77	5.08	4.46	3.92	3.45
6.9	5.84	5.84	5.84	5.84	5.84	5.61	4.93	4.34	3.81	3.35
7.0	5.64	5.64	5.64	5.64	5.64	5.42	4.76	4.19	3.68	3.24
7.1	5.41	5.41	5.41	5.41	5.41	5.20	4.57	4.02	3.53	3.10
7.2	5.14	5.14	5.14	5.14	5.14	4.94	4.35	3.82	3.36	2.95
7.3	4.84	4.84	4.84	4.84	4.84	4.66	4.09	3.60	3.16	2.78
7.4	4.52	4.52	4.52	4.52	4.52	4.34	3.82	3.36	2.95	2.59
7.5	4.16	4.16	4.16	4.16	4.16	4.00	3.52	3.09	2.72	2.39
7.6	3.79	3.79	3.79	3.79	3.79	3.65	3.21	2.82	2.48	2.18
7.7	3.41	3.41	3.41	3.41	3.41	3.28	2.89	2.54	2.23	1.96
7.8	3.04	3.04	3.04	3.04	3.04	2.92	2.57	2.26	1.98	1.74
7.9	2.67	2.67	2.67	2.67	2.67	2.57	2.26	1.98	1.74	1.53
8.0	2.32	2.32	2.32	2.32	2.32	2.23	1.96	1.72	1.52	1.33
8.1	2.00	2.00	2.00	2.00	2.00	1.92	1.69	1.49	1.31	1.15
8.2	1.71	1.71	1.71	1.71	1.71	1.64	1.45	1.27	1.12	0.982
8.3	1.45	1.45	1.45	1.45	1.45	1.40	1.23	1.08	0.949	0.835
8.4	1.23	1.23	1.23	1.23	1.23	1.18	1.04	0.914	0.804	0.706
8.5	1.04	1.04	1.04	1.04	1.04	0.999	0.878	0.772	0.679	0.597
8.6	0.878	0.878	0.878	0.878	0.878	0.844	0.742	0.652	0.573	0.504
8.7	0.742	0.742	0.742	0.742	0.742	0.714	0.628	0.552	0.485	0.426
8.8	0.631	0.631	0.631	0.631	0.631	0.606	0.533	0.469	0.412	0.362
8.9	0.539	0.539	0.539	0.539	0.539	0.518	0.455	0.400	0.352	0.309
9.0	0.464	0.464	0.464	0.464	0.464	0.446	0.392	0.345	0.303	0.266

Note: Native species of freshwater mussels are not known for Big Tujunga Wash or Haines Canyon Creek. CCC – Criteria Continuous Concentration (ammonia)

Source: USEPA. 2009. Draft 2009 Update Aquatic Life Ambient Water Quality Criteria for Ammonia - Freshwater. EPA 822-D-09-001. Washington, D.C.

Table 10: 30-Day Average Objective for Ammonia-N for Freshwaters Applicable to Waters Subject to the “Early Life Stage Present” Condition (mg N/L)

pH	Temperature (°Celsius)								
	14	16	18	20	22	24	26	28	30
6.5	6.67	6.06	5.33	4.68	4.12	3.62	3.18	2.80	2.46
6.6	6.57	5.97	5.25	4.61	4.05	3.56	3.13	2.75	2.42
6.7	6.44	5.86	5.15	4.52	3.98	3.50	3.07	2.70	2.37
6.8	6.29	5.72	5.03	4.42	3.89	3.42	3.00	2.64	2.32
6.9	6.12	5.56	4.89	4.30	3.78	3.32	2.92	2.57	2.25
7.0	5.91	5.37	4.72	4.15	3.65	3.21	2.82	2.48	2.18
7.1	5.67	5.15	4.53	3.98	3.50	3.08	2.70	2.38	2.09
7.2	5.39	4.90	4.31	3.78	3.33	2.92	2.57	2.26	1.99
7.3	5.08	4.61	4.06	3.57	3.13	2.76	2.42	2.13	1.87
7.4	4.73	4.30	3.78	3.32	2.92	2.57	2.26	1.98	1.74
7.5	4.36	3.97	3.49	3.06	2.69	2.37	2.08	1.83	1.61
7.6	3.98	3.61	3.18	2.79	2.45	2.16	1.90	1.67	1.47
7.7	3.58	3.25	2.86	2.51	2.21	1.94	1.71	1.50	1.32
7.8	3.18	2.89	2.54	2.23	1.96	1.73	1.52	1.33	1.17
7.9	2.80	2.54	2.24	1.96	1.73	1.52	1.33	1.17	1.03
8.0	2.43	2.21	1.94	1.71	1.50	1.32	1.16	1.02	0.897
8.1	2.10	1.91	1.68	1.47	1.29	1.14	1.00	0.879	0.773
8.2	1.79	1.63	1.43	1.26	1.11	0.973	0.855	0.752	0.661
8.3	1.52	1.39	1.22	1.07	0.941	0.827	0.727	0.639	0.562
8.4	1.29	1.17	1.03	0.906	0.796	0.700	0.615	0.541	0.475
8.5	1.09	0.990	0.870	0.765	0.672	0.591	0.520	0.457	0.401
8.6	0.920	0.836	0.735	0.646	0.568	0.499	0.439	0.386	0.339
8.7	0.778	0.707	0.622	0.547	0.480	0.422	0.371	0.326	0.287
8.8	0.661	0.601	0.528	0.464	0.408	0.359	0.315	0.277	0.244
8.9	0.565	0.513	0.451	0.397	0.349	0.306	0.269	0.237	0.208
9.0	0.486	0.442	0.389	0.342	0.300	0.264	0.232	0.204	0.179

Source: California Regional Water Quality Control Board, Los Angeles Region. 2005. Amendments to the Water Quality Control Plan – Los Angeles Region with Respect to Early Life Stage Implementation Provisions of the Inland Surface Water Ammonia Objectives for Freshwaters. Taken from USEPA. 1999. 1999 Update of Ambient Water Quality Criteria for Ammonia. EPA 822-R-99-014. Washington, D.C.

Table 11: One-Hour Average Objective for Ammonia-N for Freshwaters (mg N/L)

pH	Waters Designated COLD and/or MIGR	Waters Not Designated COLD and/or MIGR
6.5	32.6	48.8
6.6	31.3	46.8
6.7	29.8	44.6
6.8	28.1	42.0
6.9	26.2	39.1
7.0	24.1	36.1
7.1	22.0	32.8
7.2	19.7	29.5
7.3	17.5	26.2
7.4	15.4	23.0
7.5	13.3	19.9
7.6	11.4	17.0
7.7	9.65	14.4
7.8	8.11	12.1
7.9	6.77	10.1
8.0	5.62	8.40
8.1	4.64	6.95
8.2	3.83	5.72
8.3	3.15	4.71
8.4	2.59	3.88
8.5	2.14	3.20
8.6	1.77	2.65
8.7	1.47	2.20
8.8	1.23	1.84
8.9	1.04	1.56
9.0	0.885	1.32

COLD – Beneficial use designation of Cold Freshwater Habitat

MIGR – Beneficial use designation of Migration of Aquatic Organisms

Source: California Regional Water Quality Control Board, Los Angeles Region. 2002. Amendments to the Water Quality Control Plan – Los Angeles Region with Respect to Inland Surface Water Ammonia Objectives. Taken from USEPA. 1999. 1999 Update of Ambient Water Quality Criteria for Ammonia. EPA 822-R-99-014. Washington, D.C.

Table 12: Example Calculated Values for Maximum Weekly Average Temperature for Growth and Short-Term Maxima for Survival of Juvenile and Adult Fishes During the Summer

Species	Growth - Maximum Weekly Average Temperature (°C)	Survival - Short-Term Maximum Temperature (°C)
black crappie	27	--
brook trout	19	24
bluegill	32	35
channel catfish	32	35
emerald shiner	30	--
largemouth bass	32	34
rainbow trout	19	24

Source: USEPA. 1986. Quality Criteria for Water. EPA 440/5-86-001. Washington, D.C.

SECTION 5.0 – DISCUSSION

Results from the November 2020 sampling are described by parameter in Table 13. Except for pH, none of the 2020 parameters tested were substantially different from the baseline conditions recorded in 2000 and/or were still within the recommended range for each parameter as provided in the Basin Plan and/or EPA objectives. The first water sampling for Glyphosate, Chlorpyrifos, and other organophosphorus and organochlorine pesticides did not occur until 2004. None of these pesticides were detected in 2004 nor were they detected in 2020. Table 14 shows the 2020 water quality sampling results as compared to the 2000 baseline water quality sampling results. In addition, none of the parameters were substantially different between pre- and post-Creek Fire conditions (2016/2017) and parameters continue to fall largely within or below the recommended range for each parameter as provided in the Basin Plan and/or EPA objectives. Four of the parameters tested in 2020 were above the recommended range for at least one of the sample locations and are discussed in Table 13.

Table 13: Discussion of November 2020 Water Quality Sampling Results

Parameter	Discussion
Temperature	<ul style="list-style-type: none"> Observed temperatures were well below levels of concern for growth and survival of warmwater fish species at all stations with the exception of the inlet to the Tujunga Ponds which was recorded at 19.3 °C, slightly higher than the weekly average maximum temperature for the growth of brook trout and rainbow trout (example species in Table 12). In addition, the reference maxima provided in Table 12 for the growth and survival of juvenile and adult fishes during the summer are provided by the EPA and mainly apply to sportfishing species and not the native fish species that occupy the Mitigation Area. According to the US Fish and Wildlife’s Recovery Outline for Santa Ana Sucker (March 2021), Santa Ana sucker are typically most abundant in clear water, at temperatures generally less than 22°C and have experienced mortality at temperatures greater than 26.7 °C. According to UC Davis’ Center for Watershed Sciences, Santa Ana speckled dace prefer summer water temperatures below 20°C, but may tolerate temperatures as high as 26 to 28°C. Arroyo chub are most common in streams with temperatures between 10 and 24°C. All temperatures recorded were below or within the range for survival of sensitive fish species that occur in the Mitigation Area; however, only a single temperature reading was taken in the fall and the weekly summer average temperature is unknown.
Dissolved oxygen	<ul style="list-style-type: none"> DO levels were 6.5 mg/L at the inflow to the Tujunga Ponds, 3.8 mg/L at the outflow from the Tujunga Ponds, and 8.4 mg/L where Haines Canyon Creek exits the site. DO levels at one of the sample stations was below the minimum recommended level (5.0 mg/L) for Basin Plan objectives and EPA’s criteria for warmwater fish species. Low DO can be caused by a variety of factors but is commonly caused by the presence of algae in slow moving or stagnant water bodies such as the Tujunga Ponds. In addition, illegal dams slow the flow of water inhibiting the natural aeration that occurs in flowing water bodies such as Haines Canyon Creek. The rapid removal of illegal dams as they are discovered and continued public education as to why damming

Parameter	Discussion
	<p>the creek and wash is detrimental to aquatic species, is essential to the health of the Mitigation Area.</p>
pH	<ul style="list-style-type: none"> • pH readings were 5.48 at the inflow to the Tujunga Ponds, 5.64 at the outflow from the Tujunga Ponds, and 5.78 where Haines Canyon Creek exits the site. The pH readings at all three sample stations were below the recommended range of 6.5 to 8.5 identified in the Basin Plan objectives, and were within the recommended range of 5.0 to 9.0 for EPA’s criteria for human health. It is unknown what conditions caused the low pH at the Tujunga Ponds and Haines Canyon Creek. As sampling is conducted in the fall, there is potential for leaf litter from deciduous trees and shrubs to acidify the water for a short time until bacteria and other microorganisms can start breaking down plant matter and buffering acidic conditions. Additional sampling throughout the year would be required to try and pinpoint the exact cause of low pH.
Total residual chlorine	<ul style="list-style-type: none"> • No residual chlorine was detected at any sample station.
Nitrogen	<ul style="list-style-type: none"> • Nitrate-Nitrogen measurements at all sample stations were below the drinking water maximum standard of 10 mg/L for both Basin Plan standards and EPA criteria for human health. • Nitrite-Nitrogen was not detected at any sample station. • Ammonia-Nitrogen was not detected at any sample station.
Phosphorus	<ul style="list-style-type: none"> • The observed Total Phosphorus-P concentrations were 0.060 mg/L at the inflow to the Tujunga Ponds, 0.062 mg/L at the outflow to the Tujunga Ponds, and 0.049 mg/L where Haines Canyon Creek exits the site. Total Phosphorus-P concentration at all sample stations was within or below the lower end of the EPA’s recommended maximum range of 0.05 to 0.10 mg/L for the desired goal of preventing plant nuisances in streams.
Glyphosate	<ul style="list-style-type: none"> • Glyphosate was not detected at any sample station
Chlorpyrifos and other Organophosphorus Pesticides	<ul style="list-style-type: none"> • Organophosphorus Pesticides including Chlorpyrifos, that were analyzed by EPA method 8141A were not detected at any sample station.
Organochlorine Pesticides	<ul style="list-style-type: none"> • Organochlorine pesticides analyzed by EPA Method 608 were not detected at any sample station.
Turbidity	<ul style="list-style-type: none"> • Turbidity readings were 1.30 NTU at the inflow to the Tujunga Ponds, 0.35 NTU at the outflow from the Tujunga Ponds, and 0.30 NTU where Haines

Parameter	Discussion
	<p>Canyon Creek exits the site. Turbidity levels were below the EPA’s secondary drinking water standard of 5 NTU. The turbidity at the inlet of the Tujunga Ponds was slightly above the EPA’s drinking water maximum standard of 1.0 NTU for systems that use conventional or direct filtration; however, waters within the Mitigation Area are not filtered systems intended for human consumption.</p>
Coliform Bacteria	<ul style="list-style-type: none"> • Per the Basin Plan objectives, the fresh water bacteria standard for water contact recreation is for <i>E. coli</i> (126 MPN/100 ml geometric mean, 235 MPN/100 ml single sample limits). Fecal coliform levels were 47 MPN/100 ml at the inflow to the Tujunga Ponds, 23 MPN/100 ml at the outflow from the Tujunga Ponds, and 17 MPN/100 ml where Haines Canyon Creek exits the site. Fecal coliform levels detected were below the standard geometric mean at all sample stations. Sampling specifically for <i>E. coli</i> was not conducted. • Total coliform levels were greater than 1600 MPN/100 ml at all sample stations. [Note that recreation standards are for <i>E. coli</i>. Per the Basin Plan, total coliform standards apply to marine waters and waterbodies where shellfish can be harvested for human consumption.] • The presence of coliform bacteria indicates fecal contamination by warm-blooded mammal and avian species including waterfowl. While not all coliform bacteria are harmful, elevated levels of coliform bacteria indicate an increased likelihood that harmful coliform bacteria such as <i>E. coli</i>, may be present. Sources of coliform pollution in the Mitigation Area may include run-off from surrounding residential areas, horses (equestrian) that utilize the trails, waterfowl that occupy the Tujunga Ponds, other birds, aquatic organisms, and mammals that use the ponds and creek, and illegal human uses of the ponds and creek such as swimming and bathing. Organic materials that carry coliform bacteria have the potential to be harmful to aquatic life, as oxygen in the water may become low during aerobic decomposition of organic materials. Spikes in the levels of coliform bacteria in the Mitigation Area have not been uncommon since water quality sampling began in 2000.

mg/L – milligrams per liter NTU – nephelometric turbidity units MPN – most probable number

Table 14: 2020 Water Quality Results Compared to Baseline (2000)

Parameter	Units	Date (2000)	Date (2021)	Haines Canyon Creek, Inflow to Tujunga Ponds (2000)	Haines Canyon Creek, Inflow to Tujunga Ponds (2021)	Haines Canyon Creek, Outflow from Tujunga Ponds (2000)	Haines Canyon Creek, Outflow from Tujunga Ponds (2021)	Big Tujunga Wash (2000)	Big Tujunga Wash (2021)	Haines Canyon Creek, just before exit from site (2000)	Haines Canyon Creek, just before exit from site (2021)
Total coliform	MPN/100 ml	4/12	11/2	3,000	>1600	5,000	>1600	170	NA	1,700	>1600
		4/18		2,200		170,000		2,400		70,000	
Fecal coliform	MPN/100 ml	4/12	11/2	500	47	300	23	40	NA	80	17
		4/18		500		30,000		2,400		50,000	
Ammonia-N	mg/L	4/12	11/2	0	ND	0	ND	0	NA	0	ND
		4/18		0		0		0			
Nitrate-N	mg/L	4/12	11/2	8.38	5.8	5.19	4.7	0	NA	3.73	4.0
		4/18		8.2		3.91		0.253		0.438	
Nitrite-N	mg/L	4/12	11/2	0.061	ND	0	ND	0	NA	0	ND
		4/18		0.055		0		0			
Kjeldahl-N	mg/L	4/12	11/2	0	.55	0.1062	ND	0.163	NA	0	ND
		4/18		0		0.848		0.42		0.428	
Dissolved phosphorus	mg/L	4/12	11/2	0.078	0.026	0.056	ND	0	NA	0.063	ND
		4/18		0.089		0.148		0.111		0.163	
Total phosphorus	mg/L	4/12	11/2	0.086	0.060	0.062	0.062	0	NA	0.066	0.049
		4/18		0.113		0.153		0.134		0.211	
pH	std units	4/12	11/2	7.78	5.48	7.68	5.64	7.96	NA	7.91	5.78
		4/18		7.18		7.47		7.45		7.06	
Turbidity	NTU	4/12	11/2	1.83	1.30	0.38	0.35	1.75	NA	0.6	0.30
		4/18		4.24		323		4070		737	

NA – data not available; station dry on the sample date
MPN – most probable number
> - Value exceeds indicated concentration

NTU – nephelometric turbidity units
ND – non-detect

SECTION 6.0 – GLOSSARY

Ammonia-Nitrogen – $\text{NH}_3\text{-N}$ is a gaseous alkaline compound of nitrogen and hydrogen that is highly soluble in water. Un-ionized ammonia (NH_3) is toxic to aquatic organisms. The proportions of NH_3 and ammonium (NH_4^+) and hydroxide (OH^-) ions are dependent on temperature, pH, and salinity.

Chlorine, Residual – The chlorination of water supplies and wastewaters serves to destroy or deactivate disease-producing organisms. Residual chlorine in natural waters is an aquatic toxicant.

Chlorpyrifos - White crystal-like solid insecticide widely used in homes and on farms. Used to control cockroaches, fleas, termites, ticks crop pests.

Coliform Bacteria – Several genera of bacteria belonging to the family Enterobacteriaceae. Based on the method of detection, the coliform group is historically defined as facultative anaerobic, gram-negative, nonspore-forming, rod-shaped bacteria that ferment lactose with gas and acid formation within 48 hours at 35 C.

Coliform Bacteria, Fecal – Part of the intestinal flora of warm-blooded animals. Presence in surface waters is considered an indication of pollution.

Dissolved Oxygen - Dissolved oxygen (DO) is the amount of oxygen that is present in water. Water bodies receive oxygen from the atmosphere and from aquatic plants. Running water, such as that of a swift moving stream, dissolves more oxygen than the still water of a pond or lake.

Glyphosate - White compound broad-spectrum herbicide used to kill weeds.

Kjeldahl Nitrogen – Named for the laboratory technique used for detection, Kjeldahl nitrogen includes organic nitrogen and ammonia nitrogen.

Nitrate-Nitrogen – $\text{NO}_3\text{-N}$ is an essential nutrient for many photosynthetic autotrophs.

Nitrite-Nitrogen – $\text{NO}_2\text{-N}$ is an intermediate oxidation state of nitrogen, both in the oxidation of ammonia to nitrate and in the reduction of nitrate.

Organochlorine Pesticides – An older class of pesticides, that are effective against a variety of insects. These chemicals were introduced in the 1940s, and many of their uses have been cancelled or restricted by the U.S. EPA because of their environmental persistence and potential adverse effects on wildlife and human.

Organophosphorus Pesticides – These pesticides are active against a broad spectrum of insects and have accounted for a large share of all insecticides used in the United States. Although organophosphorus insecticides are still used for insect control on many food crops, most residential uses have been phased out in the United States. Certain organophosphorus insecticides are also registered for public health applications (e.g., mosquito control) in the United States.


Orthophosphorus – The reactive form of phosphorus, commonly used as fertilizer.

pH – The hydrogen ion activity of water (pH) is measured on a logarithmic scale, ranging from 0 to 14. The pH of “pure” water at 25° C is 7.0 (neutral). Low pH is acidic; high pH is basic or alkaline.

Phosphorus, Total – In natural waters, phosphorus occurs almost solely as orthophosphates, condensed phosphates, and organically bound phosphate. Phosphorus is essential to the growth of organisms.

Turbidity – Attributable to the suspended and colloidal matter in water, including clay, silt, finely divided organic and inorganic matter, soluble colored organic compounds, and plankton and other microscopic organisms. The reduction of clearness in turbid waters diminishes the penetration of light and therefore can adversely affect photosynthesis.

APPENDIX A – 2020 LABORATORY RESULTS





ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number: 435704
Report Level: II
Report Date: 11/18/2020

Analytical Report *prepared for:*

Heather Franklin
Chambers Group
5 Hutton Centre Drive
Suite 750
Santa Ana, CA 92707

Location: Big Tujunga

Authorized for release by:

Diane Galvan, Project Manager
714-771-9928
diane.galvan@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE
Member

Sample Summary

Heather Franklin
Chambers Group
5 Hutton Centre Drive
Suite 750
Santa Ana, CA 92707

Lab Job #: 435704
Location: Big Tujunga
Date Received: 11/02/20

Sample ID	Lab ID	Collected	Matrix
PONDS INLET	435704-001	11/02/20 10:30	Water
POND OUTLET	435704-002	11/02/20 09:30	Water
HAINES CREEK EXIT	435704-003	11/02/20 08:30	Water

ENTHALPY ANALYTICAL

Enthalpy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

Chain of Custody Record

Lab No: **435704**

Page: **1** of **1**

Matrix: A = Air S = Soil/Solid
 Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Preservatives:
 Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other

1 = Sample Receipt Temp:

1.4/05

(lab use only)

Turn Around Time (rush by advanced notice only)

Standard: 5 Day: 3 Day:

2 Day: 1 Day: Custom TAT:

PROJECT INFORMATION

Company: **Chambers Group Inc.**
 Report To: **Heather Franklin**
 Email: **hfranklin@chambersgroup inc. com**
 Address:
 P.O. #:
 Address:
 Global ID: **970-420-0816**
 Sampled By: **Big Tujuang**

Test Instructions / Comments

Sample ID	Sampling Date	Sampling Time	Matrix	Container No. / Size	Pres.	Analysis Request										Test Instructions / Comments				
						total nitrogen	nitrite-nitrogen	nitrate-nitrogen	amonia	orthophosphate	Total phosphorus	total coliform	fecal coliform	gyp phosphate	nitrofurantoin & sulfonamides		total residual chlorine			
1 Ponds Inlet	11/2/2020	1030	W	8	✓	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
2 Ponds outlet	11/2/2020	0930	W	8	✓	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
3 Haines Creek Exit	11/2/2020	0830	W	8	✓	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
4																				
5																				
6																				
7																				
8																				
9																				
10																				

Signature	Print Name	Company / Title	Date / Time
	Austin Burke	Chambers	11-2-2020 / 12:20 pm
	G Kim	EA	11/2/20 12:00
Relinquished By:			
Received By:			
Relinquished By:			
Received By:			
Relinquished By:			
Received By:			



ENTHALPY ANALYTICAL

SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: Chambers Group Inc Project: Big Tujunga
 Date Received: 11/2/20 Sampler's Name Present: Yes No


Section 2
 Sample(s) received in a cooler? Yes, How many? 1 No (skip section 2) Sample Temp (°C) (No Cooler) : _____
 Sample Temp (°C), One from each cooler: #1: 1.4 #2: _____ #3: _____ #4: _____
(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)
 Shipping Information: _____

Section 3
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler Temp (°C): #1: 0.5 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	✓		
Are sample IDs present?	✓		
Are sampling dates & times present?	✓		
Is a relinquished signature present?	✓		
Are the tests required clearly indicated on the COC?	✓		
Are custody seals present?		✓	
If custody seals are present, were they intact?			✓
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	✓		
Did all samples arrive intact? If no, indicate in Section 4 below.	✓		
Did all bottle labels agree with COC? (ID, dates and times)	✓		
Were the samples collected in the correct containers for the required tests?	✓		
Are the containers labeled with the correct preservatives?	✓		
Is there headspace in the VOA vials greater than 5-6 mm in diameter?			✓
Was a sufficient amount of sample submitted for the requested tests?	✓		

Section 5 Explanations/Comments

Section 6
 For discrepancies, how was the Project Manager notified? Verbal PM Initials: _____ Date/Time _____
 Email (email sent to/on): _____ / _____
 Project Manager's response:

Completed By:  Date: 11/2/20



ENTHALPY

ANALYTICAL

Enthalpy Analytical - Orange
 Orange, CA 92868
 (714) 771-6900 / Fax: (510) 486-0532

Subcontract Laboratory:

Eurofins CalScience
 7440 Lincoln Way
 Garden Grove, CA 92841-1432
 ATTN: Xuan Dang
 PO #: TBD

Enthalpy Order: EO-435704

PM: Diane Galvan
 Email: diane.galvan@enthalpy.com
 CC: incomingreports@enthalpy.com
 Phone: 714-771-9928

Results Due: Standard TAT



Report Level: II

Report To: RL

EDDs: Excel EDD

Notes:

Sample ID	Collected	Lab ID	# Cont.	Matrix	Analysis Requested	Comment
PONDS INLET	02-NOV-2020 10:30	435704-001	2	Water	Organophosphorus Pesticides	Include chloryrifos
POND OUTLET	02-NOV-2020 09:30	435704-002	2	Water	Organophosphorus Pesticides	Include chloryrifos
HAINES CREEK EXIT	02-NOV-2020 08:30	435704-003	2	Water	Organophosphorus Pesticides	Include chloryrifos

Notes:	Relinquished By:	Received By:
		
	Date: 11/4/20 1227	Date: 11/4/20 1227
	Date:	Date:
	Date:	Date:

Analysis Results for 435704

Heather Franklin
 Chambers Group
 5 Hutton Centre Drive
 Suite 750
 Santa Ana, CA 92707

Lab Job #: 435704
 Location: Big Tujunga
 Date Received: 11/02/20

Sample ID: PONDS INLET	Lab ID: 435704-001	Collected: 11/02/20 10:30
	Matrix: Water	

435704-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 300.0 Prep Method: METHOD									
Nitrogen, Nitrite	ND		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:10	RKV
Nitrogen, Nitrate	5.8		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:10	RKV
Method: EPA 350.1 Prep Method: METHOD									
Ammonia-N	ND		mg/L	0.10	1	255567	11/03/20	11/03/20	SGC
Method: EPA 351.2 Prep Method: METHOD									
Nitrogen, Total Kjeldahl	0.55		mg/L	0.40	1	256152	11/13/20	11/17/20	SGC
Method: SM 4500-CL-G									
Chlorine, Total Residual	ND	H	mg/L	0.10	1	255568	11/03/20 13:51	11/03/20 13:51	WWC
Method: SM 4500-P-B5-E									
Phosphorus	0.060		mg/L	0.020	1	255852	11/06/20	11/06/20	SGC
Method: SM 4500-P-E									
Orthophosphate as P	0.026		mg/L	0.020	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Orthophosphate as PO4	0.080		mg/L	0.060	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Method: SM 9221B Prep Method: METHOD									
Coliform, Total	>1,600		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/06/20 11:18	LXH
Method: SM 9221E Prep Method: METHOD									
Fecal Coliform	47		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/05/20 11:03	LXH
Method: TOTAL NITROGEN									
Total Nitrogen	6.4		mg/L		1	256510	11/18/20	11/18/20	SLL

Analysis Results for 435704

Sample ID: POND OUTLET	Lab ID: 435704-002	Collected: 11/02/20 09:30
	Matrix: Water	

435704-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 300.0									
Prep Method: METHOD									
Nitrogen, Nitrite	ND		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:31	RKV
Nitrogen, Nitrate	4.7		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:31	RKV
Method: EPA 350.1									
Prep Method: METHOD									
Ammonia-N	ND		mg/L	0.10	1	255567	11/03/20	11/03/20	SGC
Method: EPA 351.2									
Prep Method: METHOD									
Nitrogen, Total Kjeldahl	ND		mg/L	0.40	1	256152	11/13/20	11/17/20	SGC
Method: SM 4500-CL-G									
Chlorine, Total Residual	ND	H	mg/L	0.10	1	255568	11/03/20 13:51	11/03/20 13:51	WWC
Method: SM 4500-P-B5-E									
Phosphorus	0.062		mg/L	0.020	1	255852	11/06/20	11/06/20	SGC
Method: SM 4500-P-E									
Orthophosphate as P	ND		mg/L	0.020	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Orthophosphate as PO4	ND		mg/L	0.060	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Method: SM 9221B									
Prep Method: METHOD									
Coliform, Total	>1,600		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/05/20 11:03	LXH
Method: SM 9221E									
Prep Method: METHOD									
Fecal Coliform	23		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/05/20 11:03	LXH
Method: TOTAL NITROGEN									
Total Nitrogen	4.7		mg/L		1	256510	11/18/20	11/18/20	SLL

Analysis Results for 435704

Sample ID: HAINES CREEK EXIT	Lab ID: 435704-003	Collected: 11/02/20 08:30
	Matrix: Water	

435704-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 300.0 Prep Method: METHOD									
Nitrogen, Nitrite	ND		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:52	RKV
Nitrogen, Nitrate	4.0		mg/L	0.10	1	255483	11/02/20 09:00	11/02/20 17:52	RKV
Method: EPA 350.1 Prep Method: METHOD									
Ammonia-N	ND		mg/L	0.10	1	255567	11/03/20	11/03/20	SGC
Method: EPA 351.2 Prep Method: METHOD									
Nitrogen, Total Kjeldahl	ND		mg/L	0.40	1	256152	11/13/20	11/17/20	SGC
Method: SM 4500-CL-G									
Chlorine, Total Residual	ND	H	mg/L	0.10	1	255568	11/03/20 13:51	11/03/20 13:51	WWC
Method: SM 4500-P-B5-E									
Phosphorus	0.049		mg/L	0.020	1	255852	11/06/20	11/06/20	SGC
Method: SM 4500-P-E									
Orthophosphate as P	ND		mg/L	0.020	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Orthophosphate as PO4	ND		mg/L	0.060	1	255512	11/02/20 17:49	11/02/20 17:49	SGC
Method: SM 9221B Prep Method: METHOD									
Coliform, Total	>1,600		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/06/20 11:18	LXH
Method: SM 9221E Prep Method: METHOD									
Fecal Coliform	17		MPN/100ml	1.8	1	255509	11/02/20 12:28	11/05/20 11:03	LXH
Method: TOTAL NITROGEN									
Total Nitrogen	4.0		mg/L		1	256510	11/18/20	11/18/20	SLL

> Value exceeds indicated concentration
H Holding time was exceeded
ND Not Detected

Batch QC

Type: Blank	Lab ID: QC893028	Batch: 255483
Matrix: Water	Method: EPA 300.0	Prep Method: METHOD

QC893028 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Nitrogen, Nitrite	ND		mg/L	0.10	11/02/20 09:00	11/02/20 10:11
Nitrogen, Nitrate	ND		mg/L	0.10	11/02/20 09:00	11/02/20 10:11

Type: Lab Control Sample	Lab ID: QC893029	Batch: 255483
Matrix: Water	Method: EPA 300.0	Prep Method: METHOD

QC893029 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Nitrogen, Nitrite	8.958	9.134	mg/L	98%		90-110
Nitrogen, Nitrate	8.694	9.036	mg/L	96%		90-110

Type: Matrix Spike	Lab ID: QC893030	Batch: 255483
Matrix (Source ID): Water (435521-002)	Method: EPA 300.0	Prep Method: METHOD

QC893030 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Nitrogen, Nitrite	8.717	ND	9.134	mg/L	95%		80-120	1
Nitrogen, Nitrate	8.989	ND	9.036	mg/L	99%		80-120	1

Type: Matrix Spike Duplicate	Lab ID: QC893031	Batch: 255483
Matrix (Source ID): Water (435521-002)	Method: EPA 300.0	Prep Method: METHOD

QC893031 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Nitrogen, Nitrite	9.060	ND	9.134	mg/L	99%		80-120	4	20	1
Nitrogen, Nitrate	9.030	ND	9.036	mg/L	100%		80-120	0	20	1

Type: Matrix Spike	Lab ID: QC893104	Batch: 255483
Matrix (Source ID): Water (435521-004)	Method: EPA 300.0	Prep Method: METHOD

QC893104 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Nitrogen, Nitrite	8.844	ND	9.134	mg/L	97%		80-120	1
Nitrogen, Nitrate	8.842	ND	9.036	mg/L	98%		80-120	1

Batch QC

Type: Matrix Spike Duplicate	Lab ID: QC893105	Batch: 255483
Matrix (Source ID): Water (435521-004)	Method: EPA 300.0	Prep Method: METHOD

QC893105 Analyte	Result	Source Sample	Spiked	Units	Recovery	Qual	Limits	RPD		DF
		Result						RPD	Lim	
Nitrogen, Nitrite	8.802	ND	9.134	mg/L	96%		80-120	0	20	1
Nitrogen, Nitrate	8.797	ND	9.036	mg/L	97%		80-120	1	20	1

Type: Blank	Lab ID: QC893110	Batch: 255512
Matrix: Water	Method: SM 4500-P-E	

QC893110 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Orthophosphate as P	ND		mg/L	0.020	11/02/20 17:49	11/02/20 17:49
Orthophosphate as PO4	ND		mg/L	0.060	11/02/20 17:49	11/02/20 17:49

Type: Lab Control Sample	Lab ID: QC893111	Batch: 255512
Matrix: Water	Method: SM 4500-P-E	

QC893111 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Orthophosphate as P	0.4120	0.4000	mg/L	103%		80-120
Orthophosphate as PO4	1.260	1.230	mg/L	102%		80-120

Type: Matrix Spike	Lab ID: QC893112	Batch: 255512
Matrix (Source ID): Water (435704-003)	Method: SM 4500-P-E	

QC893112 Analyte	Result	Source Sample	Spiked	Units	Recovery	Qual	Limits	DF
		Result						
Orthophosphate as P	0.8060	ND	0.8000	mg/L	99%		75-125	2
Orthophosphate as PO4	2.470	ND	2.460	mg/L	99%		75-125	2

Type: Matrix Spike Duplicate	Lab ID: QC893113	Batch: 255512
Matrix (Source ID): Water (435704-003)	Method: SM 4500-P-E	

QC893113 Analyte	Result	Source Sample	Spiked	Units	Recovery	Qual	Limits	RPD		DF
		Result						RPD	Lim	
Orthophosphate as P	0.8180	ND	0.8000	mg/L	101%		75-125	1	20	2
Orthophosphate as PO4	2.510	ND	2.460	mg/L	100%		75-125	2	20	2

Batch QC

Type: Blank	Lab ID: QC893231	Batch: 255567
Matrix: Water	Method: EPA 350.1	Prep Method: METHOD

QC893231 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Ammonia-N	ND		mg/L	0.10	11/03/20	11/03/20

Type: Lab Control Sample	Lab ID: QC893232	Batch: 255567
Matrix: Water	Method: EPA 350.1	Prep Method: METHOD

QC893232 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Ammonia-N	2.360	2.500	mg/L	94%		80-120

Type: Matrix Spike	Lab ID: QC893233	Batch: 255567
Matrix (Source ID): Water (435704-001)	Method: EPA 350.1	Prep Method: METHOD

QC893233 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Ammonia-N	2.434	ND	2.500	mg/L	97%		80-120	1

Type: Matrix Spike Duplicate	Lab ID: QC893234	Batch: 255567
Matrix (Source ID): Water (435704-001)	Method: EPA 350.1	Prep Method: METHOD

QC893234 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Ammonia-N	2.466	ND	2.500	mg/L	99%		80-120	1	20	1

Type: Blank	Lab ID: QC893237	Batch: 255568
Matrix: Water	Method: SM 4500-CL-G	

QC893237 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Chlorine, Total Residual	ND		mg/L	0.10	11/03/20 13:51	11/03/20 13:51

Type: Lab Control Sample	Lab ID: QC893238	Batch: 255568
Matrix: Water	Method: SM 4500-CL-G	

QC893238 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Chlorine, Total Residual	1.007	1.000	mg/L	101%		80-120

Batch QC

Type: Sample Duplicate	Lab ID: QC893239	Batch: 255568
Matrix (Source ID): Water (435704-003)	Method: SM 4500-CL-G	

QC893239 Analyte	Result	Source Sample Result	Units	Qual	RPD	RPD Lim	DF
Chlorine, Total Residual	ND	ND	mg/L			20	1

Type: Blank	Lab ID: QC893963	Batch: 255852
Matrix: Water	Method: SM 4500-P-B5-E	

QC893963 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Phosphorus	ND		mg/L	0.020	11/06/20	11/06/20

Type: Lab Control Sample	Lab ID: QC893964	Batch: 255852
Matrix: Water	Method: SM 4500-P-B5-E	

QC893964 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Phosphorus	0.3940	0.4000	mg/L	99%		80-120

Type: Matrix Spike	Lab ID: QC893965	Batch: 255852
Matrix (Source ID): Water (435850-007)	Method: SM 4500-P-B5-E	

QC893965 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Phosphorus	14.82	13.92	8.000	mg/L	11%	*	75-125	20

Type: Matrix Spike Duplicate	Lab ID: QC893966	Batch: 255852
Matrix (Source ID): Water (435850-007)	Method: SM 4500-P-B5-E	

QC893966 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim	DF
Phosphorus	14.58	13.92	8.000	mg/L	8%	*	75-125	2	20	20

Type: Blank	Lab ID: QC894753	Batch: 256152
Matrix: Water	Method: EPA 351.2	Prep Method: METHOD

QC894753 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Nitrogen, Total Kjeldahl	ND		mg/L	0.20	11/13/20	11/17/20

Batch QC

Type: Lab Control Sample	Lab ID: QC894754	Batch: 256152
Matrix: Water	Method: EPA 351.2	Prep Method: METHOD

QC894754 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Nitrogen, Total Kjeldahl	2.440	2.500	mg/L	98%		90-110

Type: Matrix Spike	Lab ID: QC894755	Batch: 256152
Matrix (Source ID): Water (435704-001)	Method: EPA 351.2	Prep Method: METHOD

QC894755 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	DF
Nitrogen, Total Kjeldahl	12.60	0.5528	12.50	mg/L	96%		90-110	2.5

Type: Matrix Spike Duplicate	Lab ID: QC894756	Batch: 256152
Matrix (Source ID): Water (435704-001)	Method: EPA 351.2	Prep Method: METHOD

QC894756 Analyte	Result	Source Sample Result	Spiked	Units	Recovery	Qual	Limits	RPD	Lim	DF
Nitrogen, Total Kjeldahl	11.45	0.5528	12.50	mg/L	87%	*	90-110	10	20	2.5

* Value is outside QC limits

ND Not Detected

Laboratory Job Number 435704

Subcontracted Products

BSK Associates



BSK Associates San Bernardino
 350 E. Commercial Road, Suite 110
 San Bernardino, CA 92408
 909-796-2059 (Main)
 909-796-2174 (FAX)

RDK0015
11/05/2020
 Invoice: RD00840

Diane Galvan
 Enthalpy Analytical, Inc.
 931 West Barkley Avenue
 Orange, CA 92868

RE: Report for RDK0015 General - Diane Galvan

Dear Diane Galvan,

Thank you for using BSK Associates for your analytical testing needs. In the following pages, you will find the test results for the samples submitted to our laboratory on 11/3/2020. The results have been approved for release by our Laboratory Director as indicated by the authorizing signature below.

The samples were analyzed for the test(s) indicated on the Chain of Custody (see attached) and the results relate only to the samples analyzed. BSK certifies that the testing was performed in accordance with the quality system requirements specified in the 2009 TNI Standard. Any deviations from this standard or from the method requirements for each test procedure performed will be annotated alongside the analytical result or noted in the Case Narrative. Unless otherwise noted, the sample results are reported on an "as received" basis.

This certificate of analysis shall not be reproduced except in full, without written approval of the laboratory.

If additional clarification of any information is required, please contact your Project Manager, Alejandra I. Montano, at 909-796-2059.

Thank you again for using BSK Associates. We value your business and appreciate your loyalty.

Sincerely,

Alejandra I. Montano, Project Coordinator



Accredited in Accordance with NELAP
 ORELAP #4119-002

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RDK0015 FINAL 11052020 1350

Case Narrative

Project and Report Details	Invoice Details
----------------------------	-----------------

Client: Enthalpy Analytical, Inc.
Report To: Diane Galvan
Project #: 435704
Received: 11/03/2020 - 10:20
Report Due: 11/17/2020

Invoice To: Enthalpy Analytical, Inc.
Invoice Attn: Montrose Environmental Group
Project PO#: 435704-001/003-PO-0053

Sample Receipt Conditions

<p>Cooler: Default Cooler Temperature on Receipt °C: 2.0</p>	<p>Containers Intact COC/Labels Agree Received On Wet Ice Packing Material - Bubble Wrap Packing Material - Foam Sample(s) were received in temperature range. Initial receipt at BSK-FAL</p>
---	---

Data Qualifiers

The following qualifiers have been applied to one or more analytical results:

None applied

Report Distribution

Recipient(s)	Report Format	CC:
Diane Galvan	FINAL.RPT	incomingreports@enthalpy.com



RDK0015

General - Diane Galvan

435704

Certificate of Analysis

Sample ID: RDK0015-01

Sampled By: Client

Sample Description: PONDS INLET // 435704-001

Sample Date - Time: 11/02/2020 - 10:30

Matrix: Water

Sample Type: Grab

BSK Associates Laboratory Fresno

Organics

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed	Qual
<u>Glyphosate by HPLC</u>									
Glyphosate	EPA 547	ND	25	ug/L	1	ADK0182	11/04/20	11/04/20	
Surrogate: AMPA	EPA 547	95 %	<i>Acceptable range: 70-130 %</i>						

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



RDK0015

General - Diane Galvan

435704

Certificate of Analysis

Sample ID: RDK0015-02

Sampled By: Client

Sample Description: POND OUTLET // 435704-002

Sample Date - Time: 11/02/2020 - 09:30

Matrix: Water

Sample Type: Grab

BSK Associates Laboratory Fresno

Organics

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed	Qual
<u>Glyphosate by HPLC</u>									
Glyphosate	EPA 547	ND	25	ug/L	1	ADK0182	11/04/20	11/04/20	
Surrogate: AMPA	EPA 547	93 %	<i>Acceptable range: 70-130 %</i>						

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



RDK0015

General - Diane Galvan

435704

Certificate of Analysis

Sample ID: RDK0015-03

Sampled By: Client

Sample Description: HAINES CREEK EXIT // 435704-003

Sample Date - Time: 11/02/2020 - 08:30

Matrix: Water

Sample Type: Grab

BSK Associates Laboratory Fresno

Organics

Analyte	Method	Result	RL	Units	RL Mult	Batch	Prepared	Analyzed	Qual
<u>Glyphosate by HPLC</u>									
Glyphosate	EPA 547	ND	25	ug/L	1	ADK0182	11/04/20	11/04/20	
Surrogate: AMPA	EPA 547	95 %	<i>Acceptable range: 70-130 %</i>						

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

**BSK Associates Laboratory Fresno
Organics Quality Control Report**

Analyte	Result	RL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Date Analyzed	Qual
---------	--------	----	-------	-------------	---------------	------	-------------	-----	-----------	---------------	------

EPA 547 - Quality Control

Batch: ADK0182

Prepared: 11/4/2020

Prep Method: EPA 547

Analyst: JNG

Blank (ADK0182-BLK1)

Glyphosate	ND	25	ug/L							11/04/20	
Surrogate: AMPA	200			200		101	70-130			11/04/20	

Blank Spike (ADK0182-BS1)

Glyphosate	100	25	ug/L	100	ND	104	70-130			11/04/20	
Surrogate: AMPA	180			200		90	70-130			11/04/20	

Blank Spike Dup (ADK0182-BSD1)

Glyphosate	110	25	ug/L	100	ND	109	70-130	5	30	11/04/20	
Surrogate: AMPA	180			200		89	70-130			11/04/20	

Matrix Spike (ADK0182-MS1), Source: SDJ0450-01

Glyphosate	110	25	ug/L	100	ND	112	70-130			11/04/20	
Surrogate: AMPA	190			200		95	70-130			11/04/20	

Matrix Spike Dup (ADK0182-MSD1), Source: SDJ0450-01

Glyphosate	120	25	ug/L	100	ND	116	70-130	4	30	11/04/20	
Surrogate: AMPA	190			200		93	70-130			11/04/20	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Certificate of Analysis

Notes:

- The Chain of Custody document and Sample Integrity Sheet are part of the analytical report.
- Any remaining sample(s) for testing will be disposed of according to BSK's sample retention policy unless other arrangements are made in advance.
- All positive results for EPA Methods 504.1 and 524.2 require the analysis of a Field Reagent Blank (FRB) to confirm that the results are not a contamination error from field sampling steps. If Field Reagent Blanks were not submitted with the samples, this method requirement has not been performed.
- Samples collected by BSK Analytical Laboratories were collected in accordance with the BSK Sampling and Collection Standard Operating Procedures.
- J-value is equivalent to DNQ (Detected, not quantified) which is a trace value. A trace value is an analyte detected between the MDL and the laboratory reporting limit. This result is of an unknown data quality and is only qualitative (estimated). Baseline noise, calibration curve extrapolation below the lowest calibrator, method blank detections, and integration artifacts can all produce apparent DNQ values, which contribute to the un-reliability of these values.
- (1) - Residual chlorine and pH analysis have a 15 minute holding time for both drinking and waste water samples as defined by the EPA and 40 CFR 136. Waste water and ground water (monitoring well) samples must be field filtered to meet the 15 minute holding time for dissolved metals.
- Field tests are outside the scope of laboratory accreditation and there is no certification available for field testing.
- Summations of analytes (i.e. Total Trihalomethanes) may appear to add individual amounts incorrectly, due to rounding of analyte values occurring before or after the total value is calculated, as well as rounding of the total value.
- RL Multiplier is the factor used to adjust the reporting limit (RL) due to variations in sample preparation procedures and dilutions required for matrix interferences.
- Due to the subjective nature of the Threshold Odor Method, all characterizations of the detected odor are the opinion of the panel of analysts. The characterizations can be found in Standard Methods 2170B Figure 2170:1.
- The MCLs provided in this report (if applicable) represent the primary MCLs for that analyte.
- (2) - Formerly known as Bis(2-Chloroisopropyl) ether.

Definitions

mg/L:	Milligrams/Liter (ppm)	MDL:	Method Detection Limit	MDA95:	Min. Detected Activity
mg/Kg:	Milligrams/Kilogram (ppm)	RL:	Reporting Limit: DL x Dilution	MPN:	Most Probable Number
µg/L:	Micrograms/Liter (ppb)	ND:	None Detected below MRL/MDL	CFU:	Colony Forming Unit
µg/Kg:	Micrograms/Kilogram (ppb)	pCi/L:	PicoCuries per Liter	Absent:	Less than 1 CFU/100mLs
%:	Percent	RL Mult:	RL Multiplier	Present:	1 or more CFU/100mLs
NR:	Non-Reportable	MCL:	Maximum Contaminant Limit	U:	The analyte was not detected at or above the reported sample quantitation limit.

Please see the individual Subcontract Lab's report for applicable certifications.

BSK is not accredited under the NELAP program for the following parameters:

****NA****

Certificate of Analysis

Certifications: Please refer to our website for a copy of our Accredited Fields of Testing under each certification.

Fresno

State of California - ELAP	1180	State of Hawaii	4021
Los Angeles CSD	9254479	NELAP certified	4021-014
State of Nevada	CA000792020-2	State of Oregon - NELAP	4021-014
EPA - UCMR4	CA00079	State of Washington	C997-20b

Sacramento

State of California - ELAP	2435
----------------------------	------

San Bernardino

State of California - ELAP	2993	Los Angeles CSD	9254478
NELAP certified	4119-005	State of Oregon - NELAP	4119-005

Vancouver

NELAP certified	WA100008-012	State of Oregon - NELAP	WA100008-013
State of Washington	C824-20		



Sample Integrity

BSK Bottles: Yes No Page 1 of 1

COC Info	Was temperature within range? Chemistry $\leq 6^{\circ}\text{C}$ Micro $< 8^{\circ}\text{C}$			Were correct containers and preservatives received for the tests requested?		
		Yes	No	NA	Yes	No
Bottles Received <small>means preservation/chlorine checks are either N/A or are performed in the lab</small>	250ml(A) 500ml(B) 1Liter(C) 40ml/VOA(V) 125ml(D)			Checks*	Passed?	1-3
	Bacti Na ₂ S ₂ O ₃			—	—	
	None (P) ^{White Cap}			—	—	
	Cr6 (P) Lt. Green Label/Blue Cap NH ₄ OH(NH ₄) ₂ SO ₄ DW			Cl, pH > 8	P F	
	Cr6 (P) Pink Label/Blue Cap NH ₄ OH(NH ₄) ₂ SO ₄ WW			pH 9.3-9.7	P F	
Cr6 (P) Black Label/Blue Cap NH ₄ OH(NH ₄) ₂ SO ₄ 7199 ***24 HOUR HOLD TIME***			pH 9.0-9.5	P F		
HNO ₃ (P) Red Cap or HCl (P) Purple Cap/Lt. Blue Label			—	—		
H ₂ SO ₄ (P) or (AG) Yellow Cap/Label			pH < 2	P F		
NaOH (P) Green Cap			Cl, pH > 10	P F		
NaOH + ZnAc (P)			pH > 9	P F		
Dissolved Oxygen 300ml (g)			—	—		
None (AG) 608/8081/8082, 625, 632/8321, 8151, 8270			—	—		
HCl (AG) Lt. Blue Label O&G, Diesel, TCP			—	—		
Ascorbic, EDTA, KH ₂ Ct (AG) Pink Label 525			—	—		
Na ₂ SO ₃ 250mL (AG) Neon Green Label 515			—	—		
Na ₂ S ₂ O ₃ 1 Liter (Brown P) 549			—	—		
Na ₂ S ₂ O ₃ (AG) Blue Label 548, THM, 524			—	—		
Na ₂ S ₂ O ₃ (CG) Blue Label 504, 505, 547			—	—	IV	
Na ₂ S ₂ O ₃ + MCAA (CG) Orange Label 531			pH < 3	P F		
NH ₄ Cl (AG) Purple Label 552			—	—		
EDA (P) or (AG) Brown Label DBPs			—	—		
HCL (CG) 524.2, BTEX, Gas, MTBE, 8260/624			—	—		
Buffer pH 4 (CG)			—	—		
H ₃ PO ₄ (CG) Salmon Label			—	—		
Trizma – EPA 537.1 - Field Blank Required			—	—		
Other:						
Asbestos 1L (P) w/ Foil / LL Metals Bottle			—	—		
Bottled Water			—	—		
Clear Glass 125mL / 250mL / 500mL / 1 Liter			—	—		
Solids: Brass / Steel / Plastic Bag			—	—		
Split	Container	Preservative	Date/Time/Initials	Container	Preservative	Date/Time/Initials
	S P			S P		
Comments	*Preservation check completed by lab performing analysis.			✓ Indicates Blanks Received		
				504 ___ 524.2 ___ TTHM ___ 537.1 ___ 8260/624 ___		
			✓ MS/MSD Received Method: _____			

Handwritten: VCH 11-3-2020

Scanned: *lmc*



ENTHALPY ANALYTICAL

Enthalpy Ana
Orange, CA 9
(714) 771-690

RDK0015 Entha6900 11/03/2020



Enthalpy Order: EO-435704

PM: Diane Galvan
Email: diane.galvan@enthalpy.com
CC: incomingreports@enthalpy.com
Phone: 714-771-9928

Subcontract Laboratory:
BSK Associates
1414 Stanislaus Street
Fresno, CA 93706
ATTN: Alejandra Montano
PO #: TBD

*2-0#53
BSO
WE-BW
TCAM*

Results Due: Standard TAT
Report Level: II
Report To: RL
EDDs: Standard Excel EDD

Notes:

Sample ID	Collected	Lab ID	# Cont.	Matrix	Analysis Requested	Comment
PONDS INLET	02-NOV-2020 10:30	435704-001	1	Water	EPA 547 Glyphosate	
POND OUTLET	02-NOV-2020 09:30	435704-002	1	Water	EPA 547 Glyphosate	
HAINES CREEK EXIT	02-NOV-2020 08:30	435704-003	1	Water	EPA 547 Glyphosate	

Notes:	Relinquished By:	Received By:
	<i>[Signature]</i>	
	Date: <i>10/11/20 9:193</i>	Date:
	Date:	Date:
	Date:	<i>[Signature]</i>
	Date:	Date: <i>11-3-2020 10:20</i>

Laboratory Job Number 435704

Subcontracted Products

Eurofins CalScience

ANALYTICAL REPORT

Eurofins Calscience LLC
7440 Lincoln Way
Garden Grove, CA 92841
Tel: (714)895-5494

Laboratory Job ID: 570-42868-1
Client Project/Site: 435704

For:

Enthalpy Analytical LLC
931 W. Barkley Ave
Orange, California 92868

Attn: Diane Galvan



Authorized for release by:
11/12/2020 2:23:05 PM
Sheila Luu, Project Mgmt. Assistant
Sheila.Luu@eurofinset.com

Designee for
Xuan Dang, Project Manager I
(714)895-5494
Xuan.Dang@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Certification Summary	13
Method Summary	14
Sample Summary	15
Chain of Custody	16
Receipt Checklists	17

Definitions/Glossary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Job ID: 570-42868-1

Laboratory: Eurofins Calscience LLC

Narrative

Job Narrative 570-42868-1

Comments

No additional comments.

Receipt

The samples were received on 11/4/2020 12:27 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.2° C.

GC Semi VOA

Method 8141A: The closing continuing calibration verification (CCV) associated with batch 570-107395 recovered above the upper control limit for Naled. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8141A: The continuing calibration verification (CCV) associated with batch 570-107395 recovered above the upper control limit for < Azinphos-methyl, Bolstar, Chlorpyrifos, Coumaphos, Demeton-o/s, Diazinon, Dichlorvos, Disulfoton, Ethoprop, Fensulfothion, Fenthion, Merphos, Methyl parathion, Mevinphos, Naled, Phorate, Ronnel, Stirphos, Tokuthion, Trichloronate and Tributylphosphate>. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 570-107177. LCS/LCSD was performed to meet QC requirements.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Client Sample ID: PONDS INLET

Lab Sample ID: 570-42868-1

No Detections.

Client Sample ID: PONDS OUTLET

Lab Sample ID: 570-42868-2

No Detections.

Client Sample ID: HAINES CREEK EXIT

Lab Sample ID: 570-42868-3

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Eurofins Calscience LLC

Client Sample Results

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method: 8141A - Organophosphorous Pesticides (GC)

Client Sample ID: PONDS INLET

Date Collected: 11/02/20 10:30

Date Received: 11/04/20 12:27

Lab Sample ID: 570-42868-1

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Azinphos-methyl	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Bolstar	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Chlorpyrifos	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Coumaphos	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Demeton-o/s	ND		0.0095	mg/L		11/05/20 07:24	11/05/20 22:14	1
Diazinon	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Dichlorvos	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Disulfoton	ND		0.0095	mg/L		11/05/20 07:24	11/05/20 22:14	1
Ethoprop	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Fensulfothion	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Fenthion	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Merphos	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Methyl parathion	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Mevinphos	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Naled	ND		0.038	mg/L		11/05/20 07:24	11/05/20 22:14	1
Phorate	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Ronnel	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Stirophos	ND		0.019	mg/L		11/05/20 07:24	11/05/20 22:14	1
Tokuthion	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1
Trichloronate	ND		0.0048	mg/L		11/05/20 07:24	11/05/20 22:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tributyl phosphate	82		35 - 151	11/05/20 07:24	11/05/20 22:14	1

Client Sample ID: PONDS OUTLET

Date Collected: 11/02/20 09:30

Date Received: 11/04/20 12:27

Lab Sample ID: 570-42868-2

Matrix: Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Azinphos-methyl	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Bolstar	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Chlorpyrifos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Coumaphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Demeton-o/s	ND		0.0097	mg/L		11/05/20 07:24	11/05/20 23:01	1
Diazinon	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Dichlorvos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Disulfoton	ND		0.0097	mg/L		11/05/20 07:24	11/05/20 23:01	1
Ethoprop	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Fensulfothion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Fenthion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Merphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Methyl parathion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Mevinphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Naled	ND		0.039	mg/L		11/05/20 07:24	11/05/20 23:01	1
Phorate	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Ronnel	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Stirophos	ND		0.019	mg/L		11/05/20 07:24	11/05/20 23:01	1
Tokuthion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1
Trichloronate	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:01	1

Eurofins Calscience LLC

Client Sample Results

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method: 8141A - Organophosphorous Pesticides (GC) (Continued)

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
<i>Tributyl phosphate</i>	85		35 - 151	11/05/20 07:24	11/05/20 23:01	1

Client Sample ID: HAINES CREEK EXIT

Date Collected: 11/02/20 08:30

Date Received: 11/04/20 12:27

Lab Sample ID: 570-42868-3

Matrix: Water

<u>Analyte</u>	<u>Result</u>	<u>Qualifier</u>	<u>RL</u>	<u>Unit</u>	<u>D</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
Azinphos-methyl	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Bolstar	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Chlorpyrifos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Coumaphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Demeton-o/s	ND		0.0098	mg/L		11/05/20 07:24	11/05/20 23:49	1
Diazinon	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Dichlorvos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Disulfoton	ND		0.0098	mg/L		11/05/20 07:24	11/05/20 23:49	1
Ethoprop	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Fensulfothion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Fenthion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Merphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Methyl parathion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Mevinphos	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Naled	ND		0.039	mg/L		11/05/20 07:24	11/05/20 23:49	1
Phorate	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Ronnel	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Stirophos	ND		0.020	mg/L		11/05/20 07:24	11/05/20 23:49	1
Tokuthion	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1
Trichloronate	ND		0.0049	mg/L		11/05/20 07:24	11/05/20 23:49	1

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
<i>Tributyl phosphate</i>	85		35 - 151	11/05/20 07:24	11/05/20 23:49	1

Surrogate Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method: 8141A - Organophosphorous Pesticides (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TBPH1 (35-151)
570-42868-1	PONDS INLET	82
570-42868-2	PONDS OUTLET	85
570-42868-3	HAINES CREEK EXIT	85
LCS 570-107177/2-A	Lab Control Sample	92 p
LCSD 570-107177/3-A	Lab Control Sample Dup	87 p
MB 570-107177/1-A	Method Blank	88

Surrogate Legend

TBPH = Tributyl phosphate

QC Sample Results

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method: 8141A - Organophosphorous Pesticides (GC)

Lab Sample ID: MB 570-107177/1-A
Matrix: Water
Analysis Batch: 107395

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 107177

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Azinphos-methyl	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Bolstar	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Chlorpyrifos	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Coumaphos	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Demeton-o/s	ND		0.010	mg/L		11/05/20 07:24	11/05/20 17:29	1
Diazinon	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Dichlorvos	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Disulfoton	ND		0.010	mg/L		11/05/20 07:24	11/05/20 17:29	1
Ethoprop	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Fensulfothion	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Fenthion	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Merphos	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Methyl parathion	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Mevinphos	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Naled	ND		0.040	mg/L		11/05/20 07:24	11/05/20 17:29	1
Phorate	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Ronnel	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Stirophos	ND		0.020	mg/L		11/05/20 07:24	11/05/20 17:29	1
Tokuthion	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1
Trichloronate	ND		0.0050	mg/L		11/05/20 07:24	11/05/20 17:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tributyl phosphate	88		35 - 151	11/05/20 07:24	11/05/20 17:29	1

Lab Sample ID: LCS 570-107177/2-A
Matrix: Water
Analysis Batch: 107395

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 107177

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Azinphos-methyl	0.0400	0.03464	p	mg/L		87	61 - 174
Bolstar	0.0400	0.03408	p	mg/L		85	69 - 141
Chlorpyrifos	0.0400	0.03674	p	mg/L		92	57 - 149
Coumaphos	0.0400	0.03643	p	mg/L		91	59 - 163
Diazinon	0.0400	0.03845	p	mg/L		96	62 - 154
Disulfoton	0.0400	0.03726	p	mg/L		93	68 - 145
Ethoprop	0.0400	0.03984	p	mg/L		100	67 - 147
Fensulfothion	0.0400	0.03949	p	mg/L		99	69 - 167
Fenthion	0.0400	0.03469	p	mg/L		87	69 - 147
Merphos	0.0400	0.04817	p	mg/L		120	44 - 180
Methyl parathion	0.0400	0.03770	p	mg/L		94	62 - 153
Phorate	0.0400	0.03732	p	mg/L		93	62 - 153
Ronnel	0.0400	0.03522	p	mg/L		88	61 - 145
Stirophos	0.0400	0.03739	p	mg/L		93	53 - 180
Tokuthion	0.0400	0.03426	p	mg/L		86	63 - 135
Trichloronate	0.0400	0.03828	p	mg/L		96	54 - 157

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tributyl phosphate	92	p	35 - 151

Eurofins Calscience LLC

QC Sample Results

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method: 8141A - Organophosphorous Pesticides (GC)

Lab Sample ID: LCSD 570-107177/3-A
Matrix: Water
Analysis Batch: 107395

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 107177

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Azinphos-methyl	0.0400	0.03258	p	mg/L		81	61 - 174	6	30
Bolstar	0.0400	0.03324	p	mg/L		83	69 - 141	2	30
Chlorpyrifos	0.0400	0.03556	p	mg/L		89	57 - 149	3	30
Coumaphos	0.0400	0.03542	p	mg/L		89	59 - 163	3	30
Diazinon	0.0400	0.03728	p	mg/L		93	62 - 154	3	30
Disulfoton	0.0400	0.03680	p	mg/L		92	68 - 145	1	30
Ethoprop	0.0400	0.03738	p	mg/L		93	67 - 147	6	30
Fensulfothion	0.0400	0.03857	p	mg/L		96	69 - 167	2	30
Fenthion	0.0400	0.03454	p	mg/L		86	69 - 147	0	30
Merphos	0.0400	0.04780	p	mg/L		120	44 - 180	1	30
Methyl parathion	0.0400	0.03860	p	mg/L		96	62 - 153	2	30
Phorate	0.0400	0.03679	p	mg/L		92	62 - 153	1	30
Ronnel	0.0400	0.03502	p	mg/L		88	61 - 145	1	30
Stirophos	0.0400	0.03655	p	mg/L		91	53 - 180	2	30
Tokuthion	0.0400	0.03361	p	mg/L		84	63 - 135	2	30
Trichloronate	0.0400	0.03773	p	mg/L		94	54 - 157	1	30
Surrogate		LCSD %Recovery	LCSD Qualifier						Limits
<i>Tributyl phosphate</i>		87	p						35 - 151

QC Association Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

GC Semi VOA

Prep Batch: 107177

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-42868-1	PONDS INLET	Total/NA	Water	3510C	
570-42868-2	PONDS OUTLET	Total/NA	Water	3510C	
570-42868-3	HAINES CREEK EXIT	Total/NA	Water	3510C	
MB 570-107177/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-107177/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-107177/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 107395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
570-42868-1	PONDS INLET	Total/NA	Water	8141A	107177
570-42868-2	PONDS OUTLET	Total/NA	Water	8141A	107177
570-42868-3	HAINES CREEK EXIT	Total/NA	Water	8141A	107177
MB 570-107177/1-A	Method Blank	Total/NA	Water	8141A	107177
LCS 570-107177/2-A	Lab Control Sample	Total/NA	Water	8141A	107177
LCSD 570-107177/3-A	Lab Control Sample Dup	Total/NA	Water	8141A	107177

Lab Chronicle

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Client Sample ID: PONDS INLET

Lab Sample ID: 570-42868-1

Date Collected: 11/02/20 10:30

Matrix: Water

Date Received: 11/04/20 12:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1050.7 mL	10 mL	107177	11/05/20 07:24	OAJ3	ECL 1
Total/NA	Analysis	8141A		1			107395	11/05/20 22:14	UHNN	ECL 1
Instrument ID: GC68										

Client Sample ID: PONDS OUTLET

Lab Sample ID: 570-42868-2

Date Collected: 11/02/20 09:30

Matrix: Water

Date Received: 11/04/20 12:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1030.7 mL	10 mL	107177	11/05/20 07:24	OAJ3	ECL 1
Total/NA	Analysis	8141A		1			107395	11/05/20 23:01	UHNN	ECL 1
Instrument ID: GC68										

Client Sample ID: HAINES CREEK EXIT

Lab Sample ID: 570-42868-3

Date Collected: 11/02/20 08:30

Matrix: Water

Date Received: 11/04/20 12:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1019.7 mL	10 mL	107177	11/05/20 07:24	OAJ3	ECL 1
Total/NA	Analysis	8141A		1			107395	11/05/20 23:49	UHNN	ECL 1
Instrument ID: GC68										

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

Accreditation/Certification Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-30-21
California	SCAQMD LAP	17LA0919	11-30-20
California	State	2944	09-30-21
Nevada	State	CA00111	07-31-21
Oregon	NELAP	CA300001	01-29-21
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-11-21

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Method Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Method	Method Description	Protocol	Laboratory
8141A	Organophosphorous Pesticides (GC)	SW846	ECL 1
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ECL 1

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494



Sample Summary

Client: Enthalpy Analytical LLC
Project/Site: 435704

Job ID: 570-42868-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
570-42868-1	PONDS INLET	Water	11/02/20 10:30	11/04/20 12:27	
570-42868-2	PONDS OUTLET	Water	11/02/20 09:30	11/04/20 12:27	
570-42868-3	HAINES CREEK EXIT	Water	11/02/20 08:30	11/04/20 12:27	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



ENTHALPY ANALYTICAL

42868

Enthalpy Analytical - Orange
Orange, CA 92868
(714) 771-6900 / Fax: (510) 486-0532

Subcontract Laboratory:

Eurofins CalScience
7440 Lincoln Way
Garden Grove, CA 92841-1432
ATTN: Xuan Dang
PO #: TBD

Enthalpy Order: EO-435704

PM: Diane Galvan
Email: diane.galvan@enthalpy.com
CC: incomingreports@enthalpy.com
Phone: 714-771-9928


Results Due: Standard TAT
Report Level: II
Report To: RL
EDDs: Excel EDD



570-42868 Chain of Custody

Notes:

Sample ID	Collected	Lab ID	# Cont.	Matrix	Analysis Requested	Comment
PONDS INLET	02-NOV-2020 10:30	435704-001	2	Water	Organophosphorus Pesticides	Include chloryifos
POND OUTLET	02-NOV-2020 09:30	435704-002	2	Water	Organophosphorus Pesticides	Include chloryifos
HAINES CREEK EXIT	02-NOV-2020 08:30	435704-003	2	Water	Organophosphorus Pesticides	Include chloryifos

Notes:	Relinquished By:	Received By:
		
	Date: 11/4/20 1227	Date: 11/4/20 1227
	Date:	Date:
	Date:	Date:

3.0/2.2 S C6

Login Sample Receipt Checklist

Client: Enthalpy Analytical LLC

Job Number: 570-42868-1

Login Number: 42868

List Source: Eurofins Calscience

List Number: 1

Creator: Le, Danny

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number: 436364
Report Level: II
Report Date: 11/25/2020

Analytical Report *prepared for:*

Heather Franklin
Chambers Group
5 Hutton Centre Drive
Suite 750
Santa Ana, CA 92707

Location: Big Tujunga

Authorized for release by:

Diane Galvan, Project Manager
714-771-9928
diane.galvan@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, CDC ELITE
Member

Sample Summary

Heather Franklin
Chambers Group
5 Hutton Centre Drive
Suite 750
Santa Ana, CA 92707

Lab Job #: 436364
Location: Big Tujunga
Date Received: 11/13/20

Sample ID	Lab ID	Collected	Matrix
PONDS INLET	436364-001	11/13/20 10:05	Water
PONDS OUTLET	436364-002	11/13/20 09:50	Water
HAINES CREEK EXIT	436364-003	11/13/20 09:10	Water



SAMPLE ACCEPTANCE CHECKLIST

Section 1
 Client: CHAMBERS GROUP INC. Project: BIG TWUNGA
 Date Received: 11/13/20 Sampler's Name Present: Yes No

Section 2
 Sample(s) received in a cooler? Yes, How many? 1 No (skip section 2) Sample Temp (°C) (No Cooler): _____
 Sample Temp (°C), One from each cooler: #1: 5.7 #2: _____ #3: _____ #4: _____
(Acceptance range is < 6°C but not frozen (for Microbiology samples, acceptance range is < 10°C but not frozen). It is acceptable for samples collected the same day as sample receipt to have a higher temperature as long as there is evidence that cooling has begun.)
 Shipping Information: _____

Section 3
 Was the cooler packed with: Ice Ice Packs Bubble Wrap Styrofoam
 Paper None Other _____
 Cooler Temp (°C): #1: 3.8 #2: _____ #3: _____ #4: _____

Section 4	YES	NO	N/A
Was a COC received?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are sample IDs present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are sampling dates & times present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Is a relinquished signature present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are the tests required clearly indicated on the COC?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are custody seals present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
If custody seals are present, were they intact?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Are all samples sealed in plastic bags? (Recommended for Microbiology samples)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Did all samples arrive intact? If no, indicate in Section 4 below.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Did all bottle labels agree with COC? (ID, dates and times)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Were the samples collected in the correct containers for the required tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are the containers labeled with the correct preservatives?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Is there headspace in the VOA vials greater than 5-6 mm in diameter?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Was a sufficient amount of sample submitted for the requested tests?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Section 5 Explanations/Comments

Section 6
 For discrepancies, how was the Project Manager notified? Verbal PM Initials: _____ Date/Time _____
 Email (email sent to/on): _____ / _____
 Project Manager's response:

Completed By: [Signature] Date: 11/13/20

Analysis Results for 436364

Heather Franklin
 Chambers Group
 5 Hutton Centre Drive
 Suite 750
 Santa Ana, CA 92707

Lab Job #: 436364
 Location: Big Tujunga
 Date Received: 11/13/20

Sample ID: PONDS INLET Lab ID: 436364-001 Collected: 11/13/20 10:05
Matrix: Water

436364-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 608									
Prep Method: EPA 3510C									
alpha-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
beta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
gamma-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
delta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Aldrin	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor epoxide	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan I	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Dieldrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDE	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan II	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan sulfate	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDD	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin aldehyde	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin ketone	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDT	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Methoxychlor	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Toxaphene	ND		ug/L	1.9	0.94	256344	11/14/20	11/16/20	KTD
Chlordane (Technical)	ND		ug/L	0.9	0.94	256344	11/14/20	11/16/20	KTD
Surrogates	Limits								
TCMX	106%		%REC	14-120	0.94	256344	11/14/20	11/16/20	KTD
Decachlorobiphenyl	144%	*	%REC	20-120	0.94	256344	11/14/20	11/16/20	KTD
Method: EPA 608									
Prep Method: EPA 3510C									
Aroclor-1016	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1221	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1232	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1242	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1248	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1254	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1260	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Surrogates	Limits								
TCMX (PCB)	111%		%REC	25-120	0.94	256344	11/14/20	11/16/20	KTD

Analysis Results for 436364

436364-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Decachlorobiphenyl (PCB)	136%	*	%REC	18-126	0.94	256344	11/14/20	11/16/20	KTD

Sample ID: PONDS OUTLET	Lab ID: 436364-002	Collected: 11/13/20 09:50
Matrix: Water		

436364-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 608									
Prep Method: EPA 3510C									
alpha-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
beta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
gamma-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
delta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Aldrin	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor epoxide	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan I	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Dieldrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDE	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan II	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan sulfate	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDD	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin aldehyde	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin ketone	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDT	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Methoxychlor	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Toxaphene	ND		ug/L	1.9	0.94	256344	11/14/20	11/16/20	KTD
Chlordane (Technical)	ND		ug/L	0.9	0.94	256344	11/14/20	11/16/20	KTD

Surrogates	Limits								
TCMX	100%		%REC	14-120	0.94	256344	11/14/20	11/16/20	KTD
Decachlorobiphenyl	142%	*	%REC	20-120	0.94	256344	11/14/20	11/16/20	KTD

Method: EPA 608									
Prep Method: EPA 3510C									
Aroclor-1016	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1221	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1232	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1242	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1248	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1254	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1260	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD

Surrogates	Limits								
TCMX (PCB)	102%		%REC	25-120	0.94	256344	11/14/20	11/16/20	KTD
Decachlorobiphenyl (PCB)	132%	*	%REC	18-126	0.94	256344	11/14/20	11/16/20	KTD

Analysis Results for 436364

Sample ID: HAINES CREEK EXIT	Lab ID: 436364-003	Collected: 11/13/20 09:10
Matrix: Water		

436364-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA 608									
Prep Method: EPA 3510C									
alpha-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
beta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
gamma-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
delta-BHC	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Aldrin	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Heptachlor epoxide	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan I	ND		ug/L	0.05	0.94	256344	11/14/20	11/16/20	KTD
Dieldrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDE	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan II	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endosulfan sulfate	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDD	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin aldehyde	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Endrin ketone	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
4,4'-DDT	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Methoxychlor	ND		ug/L	0.09	0.94	256344	11/14/20	11/16/20	KTD
Toxaphene	ND		ug/L	1.9	0.94	256344	11/14/20	11/16/20	KTD
Chlordane (Technical)	ND		ug/L	0.9	0.94	256344	11/14/20	11/16/20	KTD
Surrogates	Limits								
TCMX	98%		%REC	14-120	0.94	256344	11/14/20	11/16/20	KTD
Decachlorobiphenyl	138%	*	%REC	20-120	0.94	256344	11/14/20	11/16/20	KTD
Method: EPA 608									
Prep Method: EPA 3510C									
Aroclor-1016	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1221	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1232	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1242	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1248	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1254	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Aroclor-1260	ND		ug/L	0.47	0.94	256344	11/14/20	11/16/20	KTD
Surrogates	Limits								
TCMX (PCB)	103%		%REC	25-120	0.94	256344	11/14/20	11/16/20	KTD
Decachlorobiphenyl (PCB)	130%	*	%REC	18-126	0.94	256344	11/14/20	11/16/20	KTD

* Value is outside QC limits
 ND Not Detected

Batch QC

Type: Blank	Lab ID: QC895279	Batch: 256344
Matrix: Water	Method: EPA 608	Prep Method: EPA 3510C

QC895279 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
alpha-BHC	ND		ug/L	0.05	11/14/20	11/16/20
beta-BHC	ND		ug/L	0.05	11/14/20	11/16/20
gamma-BHC	ND		ug/L	0.05	11/14/20	11/16/20
delta-BHC	ND		ug/L	0.05	11/14/20	11/16/20
Heptachlor	ND		ug/L	0.05	11/14/20	11/16/20
Aldrin	ND		ug/L	0.05	11/14/20	11/16/20
Heptachlor epoxide	ND		ug/L	0.05	11/14/20	11/16/20
Endosulfan I	ND		ug/L	0.05	11/14/20	11/16/20
Dieldrin	ND		ug/L	0.1	11/14/20	11/16/20
4,4'-DDE	ND		ug/L	0.1	11/14/20	11/16/20
Endrin	ND		ug/L	0.1	11/14/20	11/16/20
Endosulfan II	ND		ug/L	0.1	11/14/20	11/16/20
Endosulfan sulfate	ND		ug/L	0.1	11/14/20	11/16/20
4,4'-DDD	ND		ug/L	0.1	11/14/20	11/16/20
Endrin aldehyde	ND		ug/L	0.1	11/14/20	11/16/20
Endrin ketone	ND		ug/L	0.1	11/14/20	11/16/20
4,4'-DDT	ND		ug/L	0.1	11/14/20	11/16/20
Methoxychlor	ND		ug/L	0.1	11/14/20	11/16/20
Toxaphene	ND		ug/L	2.0	11/14/20	11/16/20
Chlordane (Technical)	ND		ug/L	1.0	11/14/20	11/16/20
Surrogates				Limits		
TCMX	79%		%REC	14-120	11/14/20	11/16/20
Decachlorobiphenyl	130%	*	%REC	20-120	11/14/20	11/16/20
Aroclor-1016	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1221	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1232	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1242	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1248	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1254	ND		ug/L	0.50	11/14/20	11/16/20
Aroclor-1260	ND		ug/L	0.50	11/14/20	11/16/20
Surrogates				Limits		
TCMX (PCB)	83%		%REC	25-120	11/14/20	11/16/20
Decachlorobiphenyl (PCB)	126%		%REC	18-126	11/14/20	11/16/20

Batch QC

Type: Lab Control Sample	Lab ID: QC895280	Batch: 256344
Matrix: Water	Method: EPA 608	Prep Method: EPA 3510C

QC895280 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
alpha-BHC	0.4508	0.5000	ug/L	90%		53-120
beta-BHC	0.5495	0.5000	ug/L	110%		59-120
gamma-BHC	0.4636	0.5000	ug/L	93%		54-120
delta-BHC	0.4989	0.5000	ug/L	100%		58-120
Heptachlor	0.3278	0.5000	ug/L	66%		49-120
Aldrin	0.3982	0.5000	ug/L	80%		47-120
Heptachlor epoxide	0.4329	0.5000	ug/L	87%		53-120
Endosulfan I	0.4545	0.5000	ug/L	91%		56-120
Dieldrin	0.4543	0.5000	ug/L	91%		55-120
4,4'-DDE	0.4312	0.5000	ug/L	86%		55-120
Endrin	0.4725	0.5000	ug/L	94%		57-120
Endosulfan II	0.4735	0.5000	ug/L	95%		58-120
Endosulfan sulfate	0.4700	0.5000	ug/L	94%		56-120
4,4'-DDD	0.4099	0.5000	ug/L	82%		53-120
Endrin aldehyde	0.3849	0.5000	ug/L	77%		45-120
Endrin ketone	0.4801	0.5000	ug/L	96%		61-120
4,4'-DDT	0.4780	0.5000	ug/L	96%		58-120
Methoxychlor	0.4701	0.5000	ug/L	94%		54-120
Surrogates						
TCMX	0.3951	0.5000	ug/L	79%		14-120
Decachlorobiphenyl	0.5744	0.5000	ug/L	115%		20-120

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC895281	Batch: 256344
Matrix: Water	Method: EPA 608	Prep Method: EPA 3510C

QC895281 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
alpha-BHC	0.4574	0.5000	ug/L	91%		53-120	1	20
beta-BHC	0.5786	0.5000	ug/L	116%		59-120	5	20
gamma-BHC	0.4718	0.5000	ug/L	94%		54-120	2	20
delta-BHC	0.5085	0.5000	ug/L	102%		58-120	2	20
Heptachlor	0.3634	0.5000	ug/L	73%		49-120	10	20
Aldrin	0.3895	0.5000	ug/L	78%		47-120	2	20
Heptachlor epoxide	0.4256	0.5000	ug/L	85%		53-120	2	20
Endosulfan I	0.4480	0.5000	ug/L	90%		56-120	1	20
Dieldrin	0.4425	0.5000	ug/L	89%		55-120	3	20
4,4'-DDE	0.4196	0.5000	ug/L	84%		55-120	3	20
Endrin	0.4628	0.5000	ug/L	93%		57-120	2	20
Endosulfan II	0.4661	0.5000	ug/L	93%		58-120	2	20
Endosulfan sulfate	0.4605	0.5000	ug/L	92%		56-120	2	20
4,4'-DDD	0.3940	0.5000	ug/L	79%		53-120	4	20
Endrin aldehyde	0.3754	0.5000	ug/L	75%		45-120	3	20
Endrin ketone	0.4743	0.5000	ug/L	95%		61-120	1	20
4,4'-DDT	0.4554	0.5000	ug/L	91%		58-120	5	20
Methoxychlor	0.4452	0.5000	ug/L	89%		54-120	5	20
Surrogates								
TCMX	0.4165	0.5000	ug/L	83%		14-120		
Decachlorobiphenyl	0.5415	0.5000	ug/L	108%		20-120		

Type: Lab Control Sample	Lab ID: QC895282	Batch: 256344
Matrix: Water	Method: EPA 608	Prep Method: EPA 3510C

QC895282 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Aroclor-1016	5.056	5.000	ug/L	101%		36-143
Aroclor-1260	5.937	5.000	ug/L	119%		31-153
Surrogates						
TCMX (PCB)	0.4687	0.5000	ug/L	94%		25-120
Decachlorobiphenyl (PCB)	0.6469	0.5000	ug/L	129%	*	18-126

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC895283	Batch: 256344
Matrix: Water	Method: EPA 608	Prep Method: EPA 3510C

QC895283 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Aroclor-1016	5.494	5.000	ug/L	110%		36-143	8	39
Aroclor-1260	6.359	5.000	ug/L	127%		31-153	7	20
Surrogates								
TCMX (PCB)	0.5160	0.5000	ug/L	103%		25-120		
Decachlorobiphenyl (PCB)	0.6861	0.5000	ug/L	137%	*	18-126		

* Value is outside QC limits

ND Not Detected